

CHEMICAL STRUCTURE

$$\begin{array}{c|c}
CH_3 & Si & O & C & CH_3
\end{array}$$

INTRODUCTION

SiSiB® PC7930 is a colourless to yellowish liquid, not miscible with water, decomposes with water and moisture under formation of acetic acid.

TYPICAL PHYSICAL PROPERTIES

CAS No.	4253-34-3
EINECS No.:	224-221-9
Formula	$C_7H_{12}O_6Si$
Molecular Weight	220.25
Boiling Point	87°C [3mmHg]
Flash Point	106°C
Color and Appearance	Colorless or yellowish transparent liquid
Density _{25/25°C}	1.175
Refractive Index	1.4083
Active Content	95.0%

APPLICATIONS

It is used as a raw material (crosslinker) for acetoxy crosslinking RTV-1 sealants.

PACKING AND STORAGE

SiSiB® PC7930 is supplied in 200Kg steel drum or 1000Kg IBC container.

In the unopened original container SiSiB® PC7930 has a shelf life of one year in a dry and cool place.

SINOPCC GROUP

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil: Trademark of SINOPCC Group Limited or its affiliated. © 2018 SINOPCC Group Limited. All rights reserved. For further information, please see www.SiSiB.com.



Notes

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: silanes@SiSiB.com.



AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil: Trademark of SINOPCC Group Limited or its affiliated. © 2018 SINOPCC Group Limited. All rights reserved. For further information, please see www.SiSiB.com.