

ADDSiL™ 23870 Silicone Surfactant for Flexible PU Slabstock Foam

INTRODUCTION

ADDSiL™ 23870 is a polyether-modified silicone surfactant designed for use in flexible polyurethane foam applications.

BENEFITS

- Improves foam stability and breathability
- Fine and uniform cell structure
- Balanced stabilization with medium efficiency
- Enhances foam density distribution

PHYSICAL PROPERTIES

Color and Appearance	Viscous liquid
Viscosity 25°C, cSt	1,200-2,200
Density 25°C	1.05
Flash Point	Min. 96 °C

Note: These values are typical and are not intended for use as specifications

APPLICATIONS

ADDSiL™ 23870 is recommended for use in the production of flexible polyurethane PU slabstock foams.

PACKING

ADDSiL™ 23870 is supplied in 200Kg steel drum or 1000Kg IBC tote.

STORAGE

In the original unopened packaging, ADDSiL™ 23870 has a shelf life of 24 months.

ADDSiL™ 23870 may turn cloudy or solidify at low temperatures; it does not affect performance. It will return to clear liquid upon gentle heating.

HANDLING

This document does not contain the product safety information required for safe use. Before handling, please refer to the product and safety data sheets, as well as container labels, for information on safe usage, physical hazards, and health risks. Safety Data Sheet is available on the website, from the distributor, or by contacting SiSiB customer service.

NOTE

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

ADDSiL™ 23870 Silicone Surfactant for Flexible PU Slabstock Foam

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.

We disclaim liability for any incidental or consequential damages.