

Version 7.1Y

Page 1 / 9

Revision Date 19.04.2025

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC16209

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified: Cosmetics

Details of the supplier of the safety data sheet

Company

Nanjing SiSiB Silicones Co., Ltd.
Guanghua Sci & Tech Industrial Zone,
No. 104, Guanghua Road, Nanjing 210007, P.R.China
Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

Emergency Overview:

Not a hazardous substance or mixture.

GHS Classification: Not a hazardous substance or mixture.

GHS label elements: Not a hazardous substance or mixture.

Physical and chemical hazards: Not classified based on available information.

Health hazards: Not classified based on available information.

Environmental hazards: Not classified based on available information.

Label Elements Including Precautionary Statements

The product is classified and labeled according to EC directives or corresponding national laws.

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Symbol: None

Hazard Risk Statement: Not hazardous.

Precautionary Statement: Avoid contact with eyes.

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.

Other Hazard: None known.

SECTION 3: Composition/information on ingredients

Substance / Mixture: Mixture

INCI Name: Caprylyl Methicone (and) Dimethicone Crosspolymer (and) Propylene Glycol (and) Water (and) PEG-7 Glyceryl Cocoate (and) Hexylene Glycol (and) Carbomer

Hazardous Ingredients:

Chemical Name	CAS#	Concentration (% w/w)
---------------	------	-----------------------

Version 7.1Y	Page 2 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

Polyethylene glycol	25322-68-3	Max.0.1
---------------------	------------	---------

SECTION 4: First aid measures

Description of first aid measures Protection of first-aiders:

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Skin contact: Wash off with plenty of water.

Eye contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: Water spray Alcohol-resistant foam Carbon dioxide (CO₂) Dry chemical

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture

Hazardous combustion products: Silicon oxides Carbon oxides

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health. Fire burns more vigorously than would be expected.

Advice for firefighters

Fire Fighting Procedures: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6: Accidental release measures

Version 7.1Y	Page 3 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

Personal precautions, protective equipment and emergency procedures: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up: Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

Precautions for safe handling: Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. See engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Conditions for safe storage: Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents.

Unsuitable materials for containers: None known.

SECTION 8: Exposure Controls/Personal Protection

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Components	CAS No.	Value type (Form of exposure)	Control Parameters / Permissible concentration	Basis
Polyethylene glycol	25322-68-3	TWA	10 mg/m ³	US WEEL

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne

Version 7.1Y	Page 4 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl alcohol ("PVA"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. Examples of acceptable glove barrier materials include: Natural rubber ("latex"). **NOTICE:** The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Wear clean, body-covering clothing.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge.

SECTION 9: Physical and Chemical Properties

Appearance:	Viscous gel
Color:	Transparent to translucent gel
Odor:	Odourless or lightly characteristic odor
Odor Threshold:	No data available
pH:	No data available
Melting point / freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash Point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	Not applicable.
Flammability (liquids):	No data available
Self-ignition:	The substance or mixture is not classified as pyrophoric. The

Version 7.1Y	Page 5 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

substance or mixture is not classified as self-heating.

Upper explosion limit /	
Upper flammability limit:	No data available
Lower explosion limit /	
Upper flammability limit:	No data available
Vapour pressure:	No data available
Relative vapour density:	No data available
Relative density:	No data available
Solubility(ies)Water solubility:	No data available
Partition coefficient:	
n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Non-volatile Content (% ,105°C /3h):	12.00 -16.00
Viscosity (25°C,mPa • S):	200,000 - 800,000
Explosive properties:	Not explosive
Oxidizing properties:	The substance or mixture is not classified as oxidizing.
Molecular weight:	No data available
NOTE: The physical data presented above are typical values and should not be construed as a specification.	

SECTION 10: Stability And Reactivity

Reactivity:	Not classified as a reactivity hazard.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Can react with strong oxidizing agents.
Conditions to avoid:	None known.
Incompatible materials:	Oxidizing agents
Hazardous decomposition products:	Formaldehyde.

SECTION 11: Toxicological Information

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

Based on information for component(s): LD50, Rat, > 5,000 mg/kg Estimated.

Acute dermal toxicity

Version 7.1Y	Page 6 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

Based on information for component(s): LD50, Rabbit, > 2,000 mg/kg Estimated.

Acute inhalation toxicity

No adverse effects are anticipated from single exposure to vapor.

As product: The LC50 has not been determined.

Skin corrosion/irritation

Prolonged contact may cause slight skin irritation with local redness.

Serious eye damage/eye irritation

May cause slight eye irritation.

Sensitization

For skin sensitization: No relevant data found.

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Recent findings of kidney failure and death in burn patients, as well as some studies using animal burn models,

suggest that polyethylene glycol may have been a factor.

The use of topical applications containing this material may not be appropriate in severely burned patients.

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Carcinogenicity No relevant data found.

Teratogenicity No relevant data found.

Reproductive toxicity No relevant data found.

Mutagenicity No relevant data found.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

COMPONENTS INFLUENCING TOXICOLOGY:

Polyethylene glycol

Acute inhalation toxicity

Typical for this family of materials. LC50, Rat, 6 Hour, dust/mist, > 2.5 mg/l No deaths occurred at this concentration.

SECTION 12: Ecological Effects

Ecotoxicological information appears in this section when such data is available.

ECOTOXICITY

Polyethylene glycol

Acute toxicity to fish

Version 7.1Y	Page 7 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

Material is practically non-toxic to aquatic organisms on an acute basis
 (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Pimephales promelas (fathead minnow), static test, 96 Hour, > 10,000 mg/l

Acute toxicity to aquatic invertebrates

LC50, Daphnia magna (Water flea), 48 Hour, > 10,000 mg/l

Acute toxicity to algae/aquatic plants

EbC50, Skeletonema costatum (marine diatom), 3 d, Biomass, 14,853 mg/l

PERSISTENCE and DEGRADABILITY

Polyethylene glycol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window:	Not applicable
Biodegradation:	90 %
Exposure time:	28 d
Method:	OECD Test Guideline 301F or Equivalent
10-day Window:	Not applicable
Biodegradation:	55 %
Exposure time:	28 d
Method:	OECD Test Guideline 306 or Equivalent
Theoretical Oxygen Demand:	1.77 mg/mg
Chemical Oxygen Demand:	1.82 mg/mg

Bioaccumulative potential

Polyethylene glycol

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): < 2.25 Estimated.

Mobility in soil

Polyethylene glycol

No data available.

Results of PBT and vPvB assessment

Polyethylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Other adverse effects

Polyethylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

Disposal methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and

Version 7.1Y

Page 8 / 9

Revision Date 19.04.2025

regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION: Composition Information.

FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device. For additional information, refer to: Handling & Storage Information, SDS Section 7 Stability & Reactivity Information, SDS Section 10 Regulatory Information, SDS Section 15.

Treatment and disposal methods of used packaging: Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. Do not re-use containers for any purpose.

SECTION 14: Transport Information

International Regulations

UNRTDG: Not regulated as a dangerous good

IATA-DGR: Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations: GB 6944/12268 Not regulated as a dangerous good.

SECTION 15: Regulatory Information

National regulatory information

The components of this product are reported in the following inventories:

KECI: All ingredients listed, exempt or notified.

TCSI: All ingredients listed or exempt.

REACH: All ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses.

TSCA: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

IECSC: All ingredients listed or exempt.

ENCS/ISHL: All components are listed on ENCS/ISHL or exempted from inventory listing.

PICCS: All ingredients listed or exempt.

DSL: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or

Version 7.1Y	Page 9 / 9	Revision Date 19.04.2025
--------------	------------	--------------------------

exempt from listing on the Canadian Domestic Substances List (DSL).

AICS: All ingredients listed or exempt.

SECTION 16: Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.