

Version 5.1R

Page 1 / 10

Revision Date 19.04.2019

**SECTION 1: Identification of the substance/mixture and of the company****Product Identifier**

Product Name: ADDSIL™ 12250

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant applications identified For industrial use

**Details of the supplier of the safety data sheet****Company**Nanjing SiSiB Silicones Co., Ltd.  
Guanghua Sci & Tech Industrial Zone,  
No. 104, Guanghua Road, Nanjing 210007, P.R.China  
Email: SDS@SiSiB.com**Emergency Telephone Number:** +86-25-8468-0091**SECTION 2: Hazardous identification****Classification of the substance or mixture**

The product has not been classified as hazardous according to the legislation in force.

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008

**Label elements****Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008

**Supplemental label information:**

EUH210: Safety data sheet available on request.

**Additional information:**

No data available.

**Other hazards:**

No data available.

**SECTION 3: Composition/information on ingredients****Chemical nature: Copolymer****Mixtures**

General information This product is a mixture.

Component	CAS No.	Concentration
Polypropanediol monobutyl ether	9003-13-8	>= 90.0 - <= 100.0 %

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**SECTION 4: First aid measures****General advice:**

Get medical attention if symptoms occur.

**If inhaled:**

Move into fresh air and keep at rest. Get medical attention if symptoms occur.

**In case of eye contact:**

Get medical attention if symptoms occur. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**In case of skin contact:**

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

**If swallowed:**

DO NOT induce vomiting. Get medical attention immediately. Do not give victim anything to drink if he is unconscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important symptoms and effects, both acute and delayed:** None known.

**Indication of any immediate medical attention and special treatment needed**

**Hazards:** No information about adverse effects due to exposure.

**Treatment:** If swallowed, do NOT induce vomiting. Give a glass of water.

**SECTION 5: Firefighting measures****Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray (fog)

**Unsuitable extinguishing media:**

None know

**Hazardous combustion products**

Burning can produce the following combustion products:

Oxides of carbon, Oxides of silicon

Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can be an asphyxiate.

**Special fire fighting procedures**

Do not direct a solid stream of water or foam into hot, burning pools: this may cause frothing and increase fire intensity.

**Special protective equipment for firefighters**

Self-contained breathing apparatus with full face mask and full protective clothing.

**Extinguishing media**

All standard extinguishing agents are suitable.

Large fire: alcohol-type foam or universal-type foams

Version 5.1R

Page 3 / 10

Revision Date 19.04.2019

Small fire: CO<sub>2</sub> or dry chemical

**SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Avoid contact with eyes and skin. Avoid contact with liquid and vapors. Wear suitable protective equipment.

**Environmental precautions**

Prevent runoff

**Methods and materials for containment and clean up:****Small spill:**

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

**Large spill:**

Stop leak if without risk. Move containers from spill area.

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

**SECTION 7: Handling and storage****Precautions for safe handling****Protective measures:**

Put on appropriate personal protective equipment. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

**Advice on general occupational hygiene:**

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## SECTION 8: Exposure Controls/Personal Protection

### Control parameters:

Occupational exposure limits: None.

### Recommended monitoring procedures:

#### Appropriate engineering controls:

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures:

##### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

#### Individual protection measures

##### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

##### Skin protection:

##### Hand protection:

Version 5.1R	Page 5 / 10	Revision Date 19.04.2019
--------------	-------------	--------------------------

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:**

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9: Physical and Chemical Properties

**Information on basic physical and chemical properties:**

**Appearance:**

Physical state:	Liquid
Color:	Colorless/Yellow
Odor:	Polyether
Odor threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling:	No data available
Flash point:	161°C (ASTM D93)
Evaporation rate:	No data available
Upper/lower flammability:	No data available
Explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	Heavier than air
Relative density:	No data available
Density:	0.96~1.00g/cm <sup>3</sup> (25°C)
Solubility in water:	Insoluble
Auto-ignition temperature:	No data available

Version 5.1R	Page 6 / 10	Revision Date 19.04.2019
--------------	-------------	--------------------------

Decomposition temperature:	No data available
Viscosity:	75~105
Explosive properties:	No data available
Oxidizing properties:	No classified as oxidizing

## SECTION 10: Stability And Reactivity

Reactivity:	Stable under normal conditions.
Chemical stability:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions, hazardous reactions will not occur.
Conditions to avoid:	No specific data.
Incompatible materials:	No specific data.
Hazardous decomposition Products:	Under normal conditions, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

Toxicological information appears in this section when such data is available.

### Acute toxicity

#### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

#### Acute inhalation toxicity

At room temperature, exposure to vapor is minimal due to low volatility; single exposure is not likely to be hazardous.

As product: The LC50 has not been determined.

#### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

#### Serious eye damage/eye irritation

May cause slight temporary eye irritation.

Corneal injury is unlikely.

#### Sensitization

For skin sensitization:

Contains component(s) which did not cause allergic skin sensitization in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

No relevant data found.

**Carcinogenicity**

No relevant data found.

**Teratogenicity**

Contains component which did not cause birth defects or any other fetal effects in lab animals.

**Reproductive toxicity**

Contains component which have interfered with fertility in animal studies. In animal studies on component(s), effects on reproduction were seen only at doses that produced significant toxicity to the parent animals.

**Mutagenicity**

Contains a component which were negative in in vitro genetic toxicity studies. Contains component(s) which were negative in animal genetic toxicity studies.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

**SECTION 12: Ecological Effects**

Ecotoxicological information appears in this section when such data is available.

**Toxicity****Polypropanediol monobutyl ether****Acute toxicity to fish**

Substances have mild acute toxicity to aquatic organisms (LC50/EC50 of the most sensitive species tested is between 10 and 100 mg/L). LC50, Pimephales promelas, 96 H, 20-65 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna 48 h, 26 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, > 100 mg/l

**Chronic toxicity to fish**

IC50, Bacteria, 16h, 19,000 mg/l

**Persistence and degradability****Polypropanediol monobutyl ether**

**Biodegradability:** According to strict OECD test regulations, this substance can not be considered as easy to biodegrade, but these results do not necessarily indicate that the substance is not biodegradable under environmental conditions. 10-Day test: failed

Biodegradation: 25 %

Exposure time: 28 d

Version 5.1R	Page 8 / 10	Revision Date 19.04.2019
--------------	-------------	--------------------------

Method: OECD Test Guideline 310  
 Chemical oxygen demand: 2.04 mg/mg  
 Biological ODS(BOD)

Cultivation time	Biochemical oxygen demand
5 d	5%
10 d	5%
20 d	15%

**Bioaccumulative potential**

**Polypropanediol monobutyl ether**

**Bioaccumulation:** Since the molecular weight is relatively high (MW is greater than 1000), there will be no bioaccumulation.

**Mobility in soil:** No data available.

## SECTION 13: Disposal considerations

**Waste treatment methods**

**Product**

**Methods of disposal:**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste:**

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

**Packaging:**

**Methods of disposal**

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions**

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport Information

**Special precautions for user:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.



Version 5.1R	Page 9 / 10	Revision Date 19.04.2019
--------------	-------------	--------------------------

Keep away from foodstuffs and animal feed.

## SECTION 15:Regulatory Information

### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorization

##### Substances of very high concern

Carcinogen:	Not listed
Mutagen:	Not listed
Toxic to reproduction:	Not listed
PBT:	Not listed
vPvB:	Not listed

##### Other EU regulations:

##### REACH Status:

The substance(s) in this product has (have) been Pre-Registered and/or Registered, or are exempted from registration, according to Regulation (EC) No. 1907/2006 (REACH).

Aerosol dispensers: Not applicable.

##### National regulations

##### International regulations

##### International lists:

Australia inventory (AICS)	All components are listed or exempted.
Japan inventory	All components are listed or exempted. Updated KN 061027
China inventory (IECSC)	All components are listed or exempted.
Korea inventory	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
New Zealand Inventory (NZIoC)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
United States inventory (TSCA 8b)	All components are listed or exempted.
Taiwan inventory (CSNN)	All components are listed or exempted.
Chemical Convention List Schedule I Chemicals:	
Weapons	Not listed
Chemical Convention List Schedule II Chemicals:	
Weapons	Not listed
Chemical Convention Weapons	
Weapons	Not listed
Chemical Safety Assessment:	This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16:Other Information

Version 5.1R	Page 10 / 10	Revision Date 19.04.2019
--------------	--------------	--------------------------

**Full text of abbreviated H Statements:**

H226	Flammable liquid and vapor.
H361f (Fertility)	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.

**Full text of classifications [CLP/GHS]:**

Flam. Liq. 3, H226	FLAMMABLE LIQUIDS - Category 3
Repr. 2, H361f (Fertility)	TOXIC TO REPRODUCTION (Fertility) - Category
Aquatic Chronic 4, H413	AQUATIC HAZARD (LONGTERM) - Category 4

**Full text of abbreviated R phrases:**

R62	Possible risk of impaired fertility.
R53	May cause long-term adverse effects in the aquatic environment.

**Full text of classifications [DSD/DPD]:**

Repr.Cat.3	Toxic to reproduction category 3
------------	----------------------------------

**Further information**

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.