SAFETY DATA SHEET

ADDSIL[™] 8450

Version 5.1R Page 1 / 6 Revision Date 27.06.2018

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier	
Product Name:	Addsil™ 8450
Chemical Name:	Polyether-modified polysiloxane
Relevant identified uses of the subs	stance or mixture and uses advised against
Relevant applications identified	For industrial use
Details of the supplier of the safety	data sheet
Company	Nanjing SiSiB Silicones Co., Ltd.
	Guanghua Sci & Tech Industrial Zone,
	No. 104, Guanghua Road, Nanjing 210007, P.R.China
	Email: SDS@SiSiB.com
Emergency Telephone Number:	+86-25-8468-0091

SECTION 2: Hazardous identification

Physical Appearance

, ii	
Form:	Liquid
Color:	yellow, clear
Odor:	slight, typical
Water solubility:	soluble
pH:	4.8
Potential health effects	
Eyes:	May produce oil film causing brief reversible dimness of sight.
Skin:	No harmful effects have been reported upon contact with skin.
Ingestion:	No harmful effects known.
Inhalation:	No harmful effects have been reported upon inhalation.
Primary routes of entry:	Eyes
Target organs:	Eyes
Carcinogenicity:	Not listed by NTP, IARC, ACGIH, or OSHA as a carcinogen.

SECTION 3: Composition/information on ingredients

Substances		
Component		Concentration
Siloxanes and Silicones, di-Me, 3-hydroxypropyl group-terminated, ethers with polyethylenepolypropylene glycol mono-Me ether		
CAS-No.	157479-55-5	84
Cyclotetrasiloxane, 2	,2,4,4,6,6,8,8-octamethyl-	
CAS-No.	556-67-2	<1
Cyclopentasiloxane,	2,2,4,4,6,6,8,8,10,10-decamethyl-	



SAFETY DATA SHEET

ADDSIL[™] 8450

Version 5.1R	Page 2 / 6	Revision Date 27.06.2018
CAS-No.	541-02-6	<1

SECTION 4: First aid measures

Eyes:	Flush eye(s) for 15 minutes or more; if irritation persists, consult a physician (preferably an eye specialist) and show SDS.
Skin:	Immediately and thoroughly, wash off with soap and water.
Ingestion:	If swallowed, seek medical attention and show MSDS.
Inhalation:	Remove individual from site of exposure to fresh air.
General advice:	Remove soiled or soaked clothing immediately

SECTION 5: Firefighting measures

Extinguishing media
Suitable extinguishing media
foam, carbon dioxide, dry powder, water spray.
Unsuitable extinguishing media
Full water jet
Products in case of fire
carbon dioxide, carbon monoxide, Silicon dioxide
Hazardous decomposition products
None with proper storage and handling.
Special protective equipment for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or
equivalent) and full protective gear.
OSHA flammable class
Combustible Liquid, Class IIIA

SECTION 6: Accidental release measures

Methods for cleaning up / taking up

Small spills:

Use personal protective equipment. Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil. Take up with absorbent material (e.g. sand, kieselguhr, universal binder).

Release Notes:

US regulations require reporting spills of this material that could reach any surface waters

SECTION 7: Handling and storage

SAFETY DATA SHEET

ADDSIL[™] 8450

Version 5.1R	Page 3 / 6	Revision Date 27.06.2018

General Procedures Handling

Advice on safe handling:

No special measures necessary if used correctly.

Advice on protection against fire and explosion:

No special measures required.

SECTION 8: Exposure Controls/Personal Protection

Personal protective	equipment
---------------------	-----------

Hygiene measures:	No smoking, eating or drinking allowed when using this product.
	Wash hands before breaks and at end of work shift.
Respiratory protection:	Respiratory protection is not required.
Hand protection:	PVC gloves
Eye protection:	Use chemical resistant goggles.
Protective clothing:	light protective clothing
Engineering controls:	Good general (mechanical) ventilation should be sufficient to
	control airborne levels.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

internation on subie physical and	enemiear properties
Form	liquid
Color	yellow, clear
Odor	slight, typical
State of aggregation	liquid
Melting temperature	not measured
Boiling point	> 150 ℃
Vapor pressure	not measured
Density:	1.01 - 1.04 g/cm3 at 77.00 °F
	Method: DIN 51757
Weight per volume:	8.41 Lb/Gal
Water solubility:	soluble
pH:	4.8 at 40 g/l water at 20 °C
Viscosity, dynamic:	150 - 400 mPa.s at 25 °C
	Method: DIN 53019
Flash point:	194 °F
Specific gravity	1.02-1.04g/cm3
Auto-ignition temperature:	not measured
Upper Explosion limits:	not measured
Lower explosion limit:	not measured



SAFETY DATA SHEET

ADDSIL[™] 8450

Page 4 / 6	Revision Date 27.06.2018
20.6 g/l 0.17 Lb/Gal percentage volatile: 2 percent non-volatile: The Volatile Volume	
	20.6 g/l 0.17 Lb/Gal percentage volatile: 2 percent non-volatile:

SECTION 10: Stability And Reactivity

Conditions to avoid:	None with proper storing and handling.
Thermal decomposition:	Not measured
Hazardous reactions:	No hazardous reactions with proper storage and handling.
Hazardous polymerization:	No
Stability:	Yes
Hazardous decomposition products:	None with proper storage and handling.

SECTION 11: Toxicological Information

Proper use provided no adverse health effects have been observed or have been come to our knowledge. Eye contact may produce an oil film over the eye-ball causing a harmless reversible short lasting dimness of sight.

SECTION 12: Ecological Effects

Ecological notes: Do not allow to enter soil, waterways or waste water canal.

SECTION 13:Disposal considerations

Dispose of in accordance with local, state, and federal regulations.

Product disposal and disposal requirements:

In accordance with local authority regulations, take to special waste incineration plant

Contaminated packaging:

If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

SECTION 14: Transport Information

Sea transport IMDG:





SAFETY DATA SHEET

ADDSIL[™] 8450

Version 5.1R	Page 5 / 6	Revision Date 27.06.2018	
Not regulated			
Air transport			
ICAO/IATA:			
Not regulated			
DOT (Department of	f Transportation)		
CFR Road:			
Not regulated < 119	gallons		
CFR Rail:			
Not regulated < 119 gallons			
CANADA Transport of Dangerous goods			
TDG Road:			
Not regulated			
TDG Rail:			
Not regulated			

SECTION 15:Regulatory Information

United States

SARA Section 311/312:	Fire: Yes		
	Pressure generating: No		
	Reactivity: No		
	Acute: No		
	Chronic: No		
SARA Sections:	SECTION 313		
	Notification: No		
	This product contains no SARA Title III, Section 313 listed		
	chemicals.		
Notification Status:	TSCA		
	Notification: Yes		
	All intentional ingredients are listed in the TSCA Inventory or		
	comply with TSCA Polymer Exemption criteria per 40 CFR723.		
California Proposition 65 Statement:	Notification: No		
	This product does not contain any substance(s) which are defined		
	by the state of California to cause cancer, birth defects, or other		
	reproductive effects.		
Canada:	WHMIS CLASSIFICATION		
	Class B, Division 3, Combustible Liquid		
	This product does not contain component(s) on the WHMIS		
	Ingredient Disclosure List.		
Notification Status:	Canadian Environmental Protection Act		



SAFETY DATA SHEET

ADDSIL[™] 8450

Version 5.1R	Page 6 / 6	Revision Date 27.06.2018
	5	edients are listed on the DSL (Domestic have been notified pursuant to the NSN

SECTION 16:Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

