SAFETY DATA SHEET

POWSIL[™] 59170

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier		
Product Name:	POWSIL™ 59170	
Relevant identified uses of the sub	stance or mixture and uses advised against	
Relevant applications identified	For industrial use	
Details of the supplier of the safety data sheet		
Company	Nanjing SiSiB Silicones Co., Ltd.	
	Guanghua Sci & Tech Industrial Zone,	
	No. 104, Guanghua Road, Nanjing 210007, P.R.China	
	Email: SDS@SiSiB.com	
Emergency Telephone Number:	+86-25-8468-0091	

Category 3

Category 2

SECTION 2: Hazardous identification

Liquid. Mixes with water. Irritating to eyes.

Classification of hazards Skin Corrosion/Irritation

Acute Aquatic Hazard

Summary of hazard in an emergency situation

Acule Aqualic Hazalu	Calegory 2
Chronic Aquatic Hazard	Category 3
Label elements	
Pictogram	\mathbf{V}
Signal word	Warning
Hazard statement(s)	
H316	Causes mild skin irritation.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
Precautions	
P273	Avoid release to the environment.
Incident response	
P332+P313	If skin irritation occurs: Get medical advice/attention.
Safe storage	
Not Applicable	
Waste disposal	
P501	Dispose of contents/container in accordance with local regulations.
Physical and Chemical Hazard	



SAFETY DATA SHEET

POWSIL[™] 59170

ersion 6.1S	Page 2 / 10	Revision Date 06.01.2021		
Liquid. Mixes with w	ater.			
Health Hazards				
Inhaled				
	hought to produce adverse hea	Ith effects or irritation of the respiratory tract (as		
	ectives using animal models).			
-		exposure be kept to a minimum and that suitable		
-	e used in an occupational settin			
	e useu in an occupational settin	g.		
Ingestion	arial may be domoging to the b	calth of the individual		
-	erial may be damaging to the h			
Skin Contact				
This material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or				
irritated skin should not be exposed to this material.				
Eye				
This material can cause eye irritation and damage in some persons.				
Environmental Hazards				
See Section 12				
Other hazards				
Cumulative effects r	nay result following exposure.			

SECTION 3: Composition/information on ingredients

Chemical properties

Mixture

Composition Information

CAS No.	%[weight]	Name
519142-86-0	25.0-30.0	Quaternary modified siliocne
68937-55-3	7.0-12.0	Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated propoxylated
68131-39-5	12.0-17.0	Alkyl alcohol polyethoxylate
64-19-7	<1.0	Acetic acid
7732-18-5	Until 100	Water

SECTION 4: First aid measures

Description of first aid measures

Eye contact

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.



SAFETY DATA SHEET

POWSIL[™] 59170

ersion 6.1S	Page 3 / 10	Revision Date 06.01.2021
Skin contact		
Immediately remove	all contaminated clothing, inclu	uding footwear.
Flush skin and hair v	vith running water (and soap if	available).
Seek medical attenti	on in event of irritation.	
Inhalation		
If fumes, aerosols or	combustion products are inha	led remove from contaminated area.
Other measures are	usually unnecessary.	
Ingestion		
Immediately give a g	lass of water.	
First aid is not gener	ally required. If in doubt, conta	ct a Poisons Information Centre or a doctor.
Advise for rescue t	eam (PPE requirement for re	escue personnel)
Wear portable respire	atory protective devices if get i	into the scene of the accident.
Indication of any in	nmediate medical attention a	nd special treatment needed
Treat symptomatical	ly.	
ECTION 5: Firefigl	nting measures	
Extinguishing med	ia	
Water spray or fog.	Foam. Dry chemical powder. B	CF (where regulations permit). Carbon dioxide.
Special hazards ar	sing from the substance or r	mixture
Fire Incompatibility	1	
Avoid contamination	with oxidizing agents i.e. nitrat	tes, oxidizing acids, chlorine bleaches, pool chlorine e
as ignition may resu	lt.	
Advice for firefight	ers	

Fire Fighting

Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

Fire/Explosion Hazard

Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include:



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S	Page 4 / 10	Revision Date 06.01.2021
	ruge r, re	

Carbon dioxide (CO₂)

Other pyrolysis products typical of burning organic material

May emit poisonous fumes.

May emit corrosive fumes.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures Minor Spills Clean up all spills immediately. Avoid contact with skin and eyes, by using protective equipment. Collect the leakage, place in a suitable, labelled container for waste disposal. **Major Spills** Alert Fire Brigade and tell them location and nature of hazard. Use protective equipment to avoid contact with skin and eyes. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Collect residues and seal in labelled drums for disposal. If contamination of drains or waterways occurs, advise emergency services. Personal Protective Equipment advice is contained in Section 8 of the SDS. **Measures for Preventing Secondary Contamination** Refer to section above **Environmental precautions:** See section 12

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Safe handling

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

DO NOT enter confined spaces until atmosphere has been checked.

Avoid smoking, naked lights or ignition sources.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S Page 5 / 10	Revision Date 06.01.2021
--------------------------	--------------------------

Always wash hands with soap and water after handling.

Work clothes should be laundered separately.

Use good occupational work practice.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Other information

Store in original containers.

Keep containers securely sealed.

No smoking, naked lights or ignition sources.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Protect containers against physical damage and check regularly for leaks.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container

Metal can, plastic tank or drum.

Packaging as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid reaction with oxidizing agents

SECTION 8: Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits (OEL)

Ingredient data

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
China Occupational Exposure Limits for Hazardous Agents in the Workplace	Acetic acid	Acetic acid	10mg/m ³	20mg/m ³	Not Available	Not Available

Emergency limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Acetic acid	Acetic acid	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
Quaternary modified siliocne	Not Available	Not Available
Siloxanes and Silicones,	Not Available	Not Available
di-Me, 3-hydroxypropyl Me,		
ethoxylated propoxylated		



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S	Page 6 / 10	Revision Date 06.01.2021
Alley I alaahal nabyathayyylata	Not Available	Not Available

Alkyl alcohol polyethoxylate	Not Available	Not Available
Acetic acid	50mg/kg	Not Available

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant. Process controls which involve changing the way a job activity or process is done to reduce the risk.

Personal protection



Eye/face protection Safety glasses with side shields. Chemical goggles. Skin protection See Hand protection below Hands/feet protection Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber Body Protection See Other protection below Other protection below Other protection Overalls. P.V.C. apron. Eye wash unit.

Respiratory protection

Not Available

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Odor Odor threshold Light yellow liquid Sight odor No data available



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S	Page 7	/ 10	Revision Date 06.01.2021
pH as a solution (1%)		4.0-6.0	
Melting point / freezing poir	nt (°C)	No data available	
Initial boiling point		No data available	
and boiling range (°C)			
Flash point (°C)		No data available	
Flammability		Not Applicable	
Upper Explosive Limit (%)		No data available	
Lower Explosive Limit (%)		No data available	
Explosive properties		Not explosive	
Vapor pressure (kPa)		No data available	
Vapor density (Air = 1)		No data available	
Relative density (Water = 1)	No data available	
Solubility in water (g/L)		Miscible	
Partition coefficient		No data available	
n-octanol / water			
Auto-ignition temperature (°C)	No data available	
Decomposition temperature	e (°C)	No data available	
Critical temperature (°C)		No data available	
Critical pressure (kPa)		No data available	
Combustion heat		No data available	
Evaporation rate		No data available	
Viscosity (mPa • s)		No data available	
VOC (g/L)		No data available	

SECTION 10: Stability And Reactivity

Reactivity

See section 7 Chemical stability Product is considered stable. Hazardous polymerization will not occur Possibility of hazardous reactions See section 7 Conditions to avoid See section 7 Incompatible materials See section 7 Hazardous decomposition products See section 5



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S

Page 8 / 10

Revision Date 06.01.2021

SECTION 11:Toxicological Information

Acute oral toxicity LD50 >5000mg/kg (rat). Acute dermal toxicity LD50 No data available Acute inhalation toxicity LC50 No data available Skin corrosion /irritation Skin irritation: Category 3 Eye damage/ irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available **Reproductive toxicity** No data available STOT – single exposure No data available STOT - repeated exposure No data available Aspiration toxicity No data available Carcinogenicity assessment carcinogenicity No data available

SECTION 12: Ecological Effects

Acute aquatic toxicity LC50 >1 but ≤10mg/L (OECD 203, 96h, Fish) Acute aquatic toxicity EC50 >1 but ≤10mg/L (OECD 202, 48h, Daphnia) Acute aquatic toxicity ErC50 >1 but ≤10mg/L (OECD 201, 72h, Algae) Aquatic toxicity IC50 >100mg /L (OECD 209, 3h, Bacteria) Chronic toxicity to fish No data available Chronic toxicity to aquatic invertebrates

SiSiB SILICONES - A part of SINOPCC group.



SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S	Page 9 / 10	Revision Date 06.01.2021
No data available		
Degradability		
No data available		
COD		
No data available		
BOD		
No data available		
Persistence		
No data available		
Bioaccumulative potent	ial	
No data available		
Mobility in soil		
No data available		

SECTION 13:Disposal considerations

Waste chemicals

Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations. Recycle as much as possible, try to avoid and reduce waste.

DO NOT discharge the waste into drains.

Contaminated packing materials

Packaging may contain residual chemicals, Treatment must be in accordance with applicable

Federal, State/Provincial, and Local regulations.

Recycle or reuse of cleaned materials should be in accordance with applicable Federal, State/Provincial, and Local regulations.

Precautions for Transport

Attentions of operation, treatment and precautions of workers should be referred to the content of section 7 and section 8.

SECTION 14: Transport Information

UN number		
ADR/RID: -	IMDG: -	IATA: -
UN proper shipping name		
ADR/RID:	Not dangerous goods	
IMDG:	Not dangerous goods	
IATA:	Not dangerous goods	
Transport hazard class(es)		
ADR/RID: -	IMDG: -	IATA: -
Packing group		



SiSiB SILICONES - A part of SINOPCC group.

SAFETY DATA SHEET

POWSIL[™] 59170

Version 6.1S	Page 10 / 10	Revision Date 06.01.2021
ADR/RID: -	IMDG: -	IATA: -
Environmental hazards		
ADR/RID: no	IMDG Marine Po	bllutant: no IATA: no
Special precautions for	user	
no data available		

SECTION 15:Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Quaternary modified silicone (519142-86-0) China Inventory of Existing Chemical Substances Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated propoxylated (68937-55-3) China Inventory of Existing Chemical Substances Alkyl alcohol polyethoxylate (68131-39-5) China Inventory of Existing Chemical Substances Acetic acid (64-19-7) China Inventory of Existing Chemical Substances China Inventory of Hazardous Chemicals (Chinese) China Occupational Exposure Limits for Hazardous Agents in the Workplace Water (7732-18-5) China Inventory of Existing Chemical Substances

SECTION 16:Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

