# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

 Version 5.2R
 Page 1 / 10
 Revision Date 12.03.2020

# SECTION 1: Identification of the substance/mixture and of the company

**Product Identifier** 

Product Name: SiSiB® FS0200 CAS-No.: 112945-52-5

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

**Emergency Telephone Number:** +86-25-8468-0091

#### **SECTION 2: Hazardous identification**

#### Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture

#### Label elements

Labelling according to Regulation (EC) No. 1272/2008:

No labeling according to GHS required.

### Other hazards

No data available.

# **SECTION 3: Composition/information on ingredients**

#### **Substances**

#### Chemical characteristics

CAS No.: 112945-52-5

Pyrogenic micro-dispersed silica, synthetic X-ray amorphous silicon dioxide (SiO2)

#### **Hazardous ingredients**

This material does not contain any ingredients above the permitted limit(s).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57) in amounts above  $\geq$  0.1%.

#### **Mixtures**

not applicable

### **SECTION 4: First aid measures**



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R	Page 2 / 10	Revision Date 12.03.2020
--------------	-------------	--------------------------

#### Description of first aid measures

#### General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

#### After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

#### After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

#### After inhalation:

Provide fresh air.

#### After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

### Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

## Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

## Suitable extinguishing media:

not applicable

#### Extinguishing media which must not be used for safety reasons:

not applicable

# Special hazards arising from the substance or mixture

Ambient fire may lead to hazardous fumes. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes

## Advice for firefighters

#### Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

# **General information:**

Product does not burn. Use extinguishing measures appropriate to the source of the fire.

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid dust formation. Do not breathe dust. Avoid contact with eyes and skin.



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R	Page 3 / 10	Revision Date 12.03.2020
--------------	-------------	--------------------------

#### **Environmental precautions:**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Cover any spilled material in accordance with regulations to prevent dispersal by wind. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

#### Methods and materials for containment and cleaning up

Damp down dust and fill into containers. Avoid dust formation.

#### Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

# **SECTION 7: Handling and storage**

## Precautions for safe handling

Avoid dust formation. Observe information in section 8.

# Precautions against fire and explosion:

Electrostatic discharge possible during transport and processing. Take precautionary measures against electrostatic charging.

Ensure all parts of equipment are well earthed. Use inert gas when working with combustible and explosive liquids. Avoid dust deposit, remove dust regularly

# Conditions for safe storage, including any incompatibilities

#### Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

#### Advice for storage of incompatible materials:

Observe local/state/federal regulations.

#### Further information for storage:

Keep container dry and tightly close

## Specific end use(s)

No data available.

# **SECTION 8: Exposure Controls/Personal Protection**

#### **Control parameters**

### Maximum airborne concentrations at the workplace:

CAS No.	Substance	Туре	mg/m3	ppm	Dust fract.	Fibre/m3
7631-86-9	Silica, amorphous	OEL	2,4		Respirable dust/mist	
7631-86-9	Silica, amorphous	OEL	6,0		Inhalable dust/mist	

Re Silica, amorphous: The exposure limits given for CAS-No. 7631-86-9 cover all types of synthetic amorphous silica.



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R         Page 4 / 10         Revision Date 12.03.2020	
---	--

#### **Derived No-Effect Level (DNEL):**

#### Silica, amorphous

Area of use:	Value:	
Worker; by inhalation; local (long term)	4 mg/m³	
	The given value corresponds to the German	
	occupational exposure limit	

### **Predicted No Effect Concentration (PNEC):**

### Silica, amorphous

Area of use:	Value:
Secondary poisoning	60000 mg/kg food
	NOEC value

#### **Exposure controls**

## Exposure in the work place limited and controlled

#### General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not breathe dust. Avoid contact with eyes and skin. Application of skin cream recommended to ensure optimum protection of skin. Do not eat, drink or smoke when handling.

### Personal protection equipment:

## Respiratory protection

Respirator must be worn if exposed to dust.

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used.

Suitable respiratory equipment: Filtering half-face mask, according to acknowledged standards such as FN 149

Recommended Filter type: FFP1 or equivalent filter, according to acknowledged standards such as EN 149

Observe the equipment manufacturer's information and wear time limits for respirators.

### Eye protection

Recommendation: protective goggles . In case of dust formation: tight fitting protective goggles .

#### Hand protection

Use of protective gloves is recommended when handling the material.

Recommended glove types: Rubber gloves

thickness of the material: > 1 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of nitrile rubber

thickness of the material: > 0,1 mm Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion,

and the contact time. Note that, due to the numerous external influences (such as temperature), a

# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R Page 5 / 10 Revision Date 12.03.2020

chemically resistant protective

glove in daily use may have a service life that is considerably shorter than the measured break through time.

#### Skin protection

antistatic working shoes

### Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil. Can be removed mechanically from waste water.

### Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

# **SECTION 9: Physical and Chemical Properties**

# Information on basic physical and chemical properties

Appearance Form: powder

Color white

Odor no data available
Odor Threshold no data available

pH 3.8-4.3 (DIN EN ISO 787-9)

Melting point/freezing point 1700 °C at 1013 hPa Initial boiling point and boiling range no data available Flash point no data available Evaporation rate no data available Flammability (solid, gas) no data available Upper/lower flammability no data available

or explosive limits

Vapor pressure no data available
Vapor density no data available

Relative density ca. 2,2 (20 °C) (Water / 4 °C = 1,00) (DIN 51757)

Density ca. 2,2 g/cm³ (20 °C) (DIN 51757)

Bulk density 20 - 130 kg/m<sup>3</sup>

Water solubility virtually insoluble at 20 °C

Partition coefficient: n-octanol/water no data available
Auto-ignition temperature no data available
Decomposition temperature no data available
Viscosity no data available

Dust explosion class No danger of dust explosion according to German VDI 2263.

#### Other safety information

no data available



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

|--|

# **SECTION 10: Stability And Reactivity**

#### Reactivity

no data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

no data available

#### Conditions to avoid

moisture

## Incompatible materials

none known

# **Hazardous decomposition products**

If stored and handled properly: none known

# **SECTION 11:Toxicological Information**

# Information on toxicological effects

#### **Acute toxicity**

#### Assessment:

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure. Based on the available data acute toxic effects are not expected after short-term inhalative exposure.

#### Product details:

Route of exposure	Result/Effect	Species/Test system	Source
Oral	LD50: > 5000 mg/kg	Rat	literature
Dermal	LD50: > 5000 mg/kg	Rabbit	literature
by inhalation (dust)	LC50: > 0,139 mg/l; 4 h At the technically highest possible concentration no mortality in animal test	Rat	literature

#### Skin corrosion/irritation

#### Assessment:

Based on the available data a clinically relevant skin irritation hazard is not expected.

#### Product details:

Result/Effect	Species/Test system	Source
not irritating	Rabbit	literature

#### Serious eye damage/eye irritation

#### Assessment:

Based on the available data a clinically relevant eye irritation hazard is not expected.

#### **Product details:**



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R	Page 7 / 10	Revision Date 12.03.2020
--------------	-------------	--------------------------

Result/Effect	Species/Test system	Source
not irritating	Rabbit	literature

### Respiratory or skin sensitization

#### **Assessment:**

During several years of handling this material, there were no indications of a skin-sensitizing potential.

#### Germ cell mutagenicity

#### Assessment:

According to our present state of knowledge not mutagenic.

#### Carcinogenicity

## Assessment:

Animal tests have not revealed any carcinogenic effects

#### Reproductive toxicity

#### **Assessment:**

In animal experiments there have not been any indications of reproduction toxicity.

#### Specific target organ toxicity - single exposure

#### **Assessment:**

For this endpoint no toxicological test data is available for the whole product

### Specific target organ toxicity - repeated exposure

#### Assessment:

Changes in the lungs (inflammatory processes) observed in animal experiments after chronic inhalative exposure were reversible; no indication of silicosis

#### **Aspiration hazard**

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### Further toxicological information

By handling the product for many years no damage to health was observed.

# **SECTION 12: Ecological Effects**

#### **Toxicity**

#### Assessment:

No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected

#### **Product details:**

Result/Effect	Species/Test system	Source
LC50: > 10000 mg/l	zebra fish (Danio rerio) (96 h)	literature
EC50: > 10000 mg/l	Daphnia magna (24 h)	literature

#### Persistence and degradability

#### **Assessment:**

The substance is degradable in abiotic processes.



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R Page 8 / 10 Revision Date 12.03.2020

#### Bioaccumulative potential

Assessment:

No adverse effects expected.

Mobility in soil

Assessment:

No adverse effects expected.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

no data available

Additional information

Insoluble in water.

# **SECTION 13:Disposal considerations**

#### Waste treatment methods

#### Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

#### **Uncleaned packaging**

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used.

Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

## Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

# **SECTION 14:Transport Information**

**UN** number

ADR/RID: - IMDG: - IATA: -

**UN proper shipping name** 

ADR/RID: Not dangerous goods IMDG: Not dangerous goods



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

Version 5.2R Page 9 / 10 Revision Date 12.03.2020

IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

**Packaging group** 

ADR/RID: - IMDG: - IATA: -

**Environmental hazards** 

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

# SECTION 15: Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III): Not applicable

#### Relevant regulations:

SI 2002/1689: CHIP Regulations 2002 SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

#### Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

## **Chemical safety assessment**

For this product, a chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has been carried out.

#### Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan: ENCS (Handbook of Existing and New Chemical Substances):

This product is listed in, or complies with, the substance inventory.

Australia: AICS (Australian Inventory of Chemical Substances):

This product is listed in, or complies with, the substance inventory.

China: IECSC (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Canada: DSL (Domestic Substance List):



# SAFETY DATA SHEET

(EC 1907/2006) SiSiB® FS0200

 Version 5.2R
 Page 10 / 10
 Revision Date 12.03.2020

This product is listed in, or complies with, the substance inventory.

Philippines: PICCS (Philippine Inventory of Chemicals and Chemical Substances):

This product is listed in, or complies with, the substance inventory.

United States of America (USA): TSCA (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in compliance with the substance inventory.

Taiwan: TCSI (Taiwan Chemical Substance Inventory):

This product is listed in, or complies with, the substance inventory. General note:

The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.

European Economic Area (EEA): REACH (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

**South Korea (Republic of Korea):** AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

General note: in case of registration obligations for substances or polymers imported into Korea or manufactured within Korea these are fulfilled by the supplier mentioned in section 1. The registration obligations for substances or polymers imported into Korea by customers or other downstream users must be fulfilled by the latter.

#### **SECTION 16:Other Information**

#### **Further information**

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

