

# SiSiB® FS5115

## Hydrophobic Fumed Silica

### INTRODUCTION

SiSiB® FS5115 is a hydrophobic fumed silica after treated with DDS (Dimethyldichloro silane) based on a hydrophilic fumed silica with a specific surface area of 150m<sup>2</sup>/g.

### FEATURES

- Thixotropy and reinforcement in RTV silicone sealants, the hydrophobic feature can improve the shelf-life of silicone sealants.
- Rheology control in adhesives.
- Improvement of anti-settling, anti-sagging and thixotropy control.
- Improve the free flow of powder coatings and anti-caking.

### TYPICAL PHYSICAL PROPERTIES

CAS No.	68611-44-9
Specific surface area (BET)	100 - 130m <sup>2</sup> /g
pH-Value in 4 % aqueous dispersion (1:1 mixture of water and ethanol)	3.7 - 4.5
Loss on drying (2h at 105°C) wt.%	Max. 0.7
Loss on ignition (2h at 1000°C) wt.%	Max. 2.5
Silica content (based on ignited material) wt.%	Min. 99.8
Tamped density (2h at 105°C) g/L	40 - 60
Carbon content (2h at 105°C) wt.%	0.6 – 1.2

### APPLICATIONS

- RTV silicone sealants, especially electronic potting.
- Adhesives and Sealants.
- Coatings, Inks.
- Powder and Coatings.

### PACKING AND STORAGE

SiSiB® FS5115 is supplied in multiple layer 10 kg bags.

# SiSiB<sup>®</sup> FS5115

## *Hydrophobic Fumed Silica*

20'ft GP container can load 1800kg with 10 pallets; 40'ft HQ container can load 4000kg with 20 pallets.

In the original unopened packaging, SiSiB<sup>®</sup> FS5115 has a shelf life of 24 months under dry conditions.

### NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: [support@SiSiB.com](mailto:support@SiSiB.com).