SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C Page 1 / 10 Revision Date 06.06.2018

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier	
Product Name:	SiSiB® MF2010-30000
Chemical Name:	Polydimethylsiloxane
CAS-No.:	9006-65-9 / 9016-00-6 / 63148-62-9
EC-No.:	618-433-4 / 618-493-1 / 613-156-5
Relevant identified uses of the sul	bstance or mixture and uses advised against
Relevant applications identified	For Industrial Use
Details of the supplier of the safet	y data sheet
Company	Nanjing SiSiB Silicones Co., Ltd.
	Guanghua Sci & Tech Industrial Zone,
	No. 104, Guanghua Road, Nanjing 210007, P.R.China
	Email: SDS@SiSiB.com
Emergency Telephone Number:	+86-25-8468-0091

SECTION 2: Hazardous identification

Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008: Not a hazardous substance or mixture. Label elements Labeling according to Regulation (EC) No. 1272/2008: No labeling according to GHS required. Other hazards No data available

SECTION 3: Composition/information on ingredients

 Substances

 Chemical characteristics
 Polydimethylsiloxane

 Hazardous ingredients

 This material does not contain any ingredients above the permitted limit(s).

 Mixtures

Not applicable.

SECTION 4: First aid measures

General advice

SiSiB SILICONES - A part of SINOPCC group.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 2 / 10	Revision Date 06.06.2018
--------------	-------------	--------------------------

Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

After inhalation

Material cannot be inhaled under normal conditions. Get medical attention if symptoms occur.

After contact with the skin

After skin contact wipes off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

After contact with the eyes

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

After swallowing

No special measures are required after swallowing.

Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand

Extinguishing media which must not be used for safety reasons:

Water jet

Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides, silicon oxides, incompletely burnt hydrocarbons, toxic and very toxic fumes.

Advice for firefighters

Special protective equipment for firefighting:

Use respiratory protection independent of recirculate air.

Keep unprotected persons away.

SECTION 6: Accidental release measures

Precautions:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material. HAZWOPER PPE Level: D



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 3 / 10	Revision Date 06.06.2018
--------------	-------------	--------------------------

Containment:

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Methods for cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

General information:

No special protective measures required.

Precautions for safe handling

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

Precautions against fire and explosion:

Observe the general rules for fire prevention.

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place

Specific end use(s)

No data available.

SECTION 8: Exposure Controls/Personal Protection

Control parameters



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 4 / 10		Revision Date 06.06.2018	
Movimum cirkerne erres	ntrotions at the meri-			
Maximum airborne conce	Intrations at the workp	blace		
Not applicable				
Exposure controls	- Partic Lands - Marine			
Exposure in the work place		lea		
General protection and hy		the head	ling of chamical substances. Do not not drive	
	I hygiene practices for	the hand	ling of chemical substances. Do not eat, drink	
or smoke when handling.				
Personal protection equip	oment			
Respiratory protection				
No personal respiratory pro				
	•		personal respiratory protection and protective	
	juipment: Filtering half-	face mas	k, according to acknowledged standards such	
as EN 149.				
	FFP1 or equivalent filt	er, accor	ding to acknowledged standards such as EN	
149.				
• •	inufacturer's information	h and wea	ar time limits for respirators.	
Eye protection				
Recommendation: protectiv	/e goggies.			
Hand protection				
Use of protective gloves is		-		
Recommended glove types	-	de of nitril	e rubber	
Thickness of the material: >				
Breakthrough time: > 480 n				
• • • •	Recommended glove types: Protective gloves made of butyl rubber			
Thickness of the material: >				
Breakthrough time: > 480 n				
	• • • •	•	breakthrough time which are provided by the	
			ific local conditions under which the product is	
•	used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external			
· · ·	,		otective glove in daily use may have a service	
life that is considerably shorter than the measured break through time.				
-	Exposure to the environment limited and controlled			
	Prevent material from entering surface waters, drains or sewers and soil.			
Further information for sy		-		
Observe information in sec	tion 7. Observe nationa	regulato	ry requirements.	
SECTION 9: Physical and	d Chemical Proper	ties		
Information on basic phy	sical and chemical pro	operties		

Appearance

SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 5 / 10	Revision Date 06.06.2018
Physical state / form	liquid	
Color	colorless, clear	
Odor		
Odor	odorless	
Odor limit		
Odor limit	no data availabl	6
pH-Value		0
pH-Value	approx.7	
Melting point/freezing poi		
Melting point / melting range		
Initial boiling point and bo		
Boiling point / boiling range		
Flash point		-
Flash point	> 300 °C	
Evaporation rate		
Evaporation rate	no data availabl	e
Upper/lower flammability		-
Lower explosion limit (LEL)	•	
Upper explosion limit (UEL)		
Vapor pressure		
Vapor pressure	not applicable	
Solubility (ies)		
Water solubility / miscibility	virtually insolubl	e at 20 °C
Vapor density		
Relative gas/vapor density	no data known	
Relative Density		
Density	approx. 0, 97 g/	cm³ (25 °C)
Partition coefficient: n-oc	tane/water	
Partition coefficient: n-octar	ne/water No data known.	
Auto-ignition temperature)	
Ignition temperature	410 °C	
Decomposition temperatu	ıre	
Thermal decomposition		begins at > 250 °C
Viscosity		-
Viscosity (dynamic)	30000 mPa.s at	25 °C
Viscosity (kinematic)	approx. 30000 r	nm²/s at 25 °C
Molecular mass		
Molecular mass	no data availabl	e
Other information		
No data available.		



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C

Page 6 / 10

Revision Date 06.06.2018

SECTION 10: Stability And Reactivity

General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Conditions to avoid

None known

Materials to avoid

None known

Hazardous decomposition products

If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

Further information:

Hazardous polymerization cannot occur.

SECTION 11: Toxicological Information

Information on toxicological effects

Acute toxicity

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 5000 mg/kg Neither mortality nor clinical signs of toxicity were observed with the given dose.	rat	literature (Polydimethylsiloxane)
dermal	LD ₅₀ : > 2008 mg/kg Neither mortality nor clinical signs of toxicity were observed with the given dose.	rat	literature (Polydimethylsiloxane)

Skin corrosion/irritation

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature
		(Polydimethylsiloxane)

Serious eye damage/eye irritation

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature
		(Polydimethylsiloxane)

Respiratory or skin sensitization

Product details:

Route of exposure Result/Effect Spe	es/Test system Source
-------------------------------------	-----------------------



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 7 / 10	Revision Date 06.0	06.2018
dermal	not sensitizing	guinea-pig; Magnusson-Kligman	literature (Polydimethylsiloxane) OECD 406

Germ cell mutagenicity

Assessment:

Based on known data a significant mutagenic potential may be excluded.

Product details:

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro) bacterial cells	literature (Polydimethylsiloxane) OECD 471

Carcinogenicity

Assessment:

Animal tests have not revealed any carcinogenic effects.

Product details:

Result/Effect	Species/Test system	Source
NOAEL: >= 1000 mg/kg	carcinogenicity study	literature
NOAEL= NOAEL (carcinogenic effects)	rat (F344)	(Polydimethylsiloxane)
	oral(feed)	
	2 a	

Reproductive toxicity

Assessment:

Animal tests have shown no indications of possibility of damage to embryo and impairment of fertility.

Product details:

Result/Effect (Examinations of developmental toxicity and teratogenicity)	Species/Test system	Source
NOAEL (developmental): >= 1000 mg/kg NOAEL (maternal): >= 1000 mg/kg Symptoms/Effect: Nothing abnormal detected.	Developmental Toxicity Study rabbit oral (gavage); day 6 - 19 of gestation	literature (Polydimethylsiloxane)

Specific target organ toxicity - single exposure

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity - repeated exposure

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Product details:

Result/Effect	Species/Test system	Source
NOAEL: >= 1000 mg/kg	chronic study	literature
NOAEL = NOAEL (systemic effects)	rat	(Polydimethylsiloxane)
	oral (feed)	
	1 a	
	Follow-up observation	
	period: 1 a	

Aspiration hazard



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

		Version 5.1C	Page 8 / 10	Revision Date 06.06.2018
--	--	--------------	-------------	--------------------------

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Further toxicological information

Human patch test: Product displays good compatibility with the skin.

SECTION 12: Ecological Effects

Toxicity

Assessment:

Based on available data no effects on aquatic organisms that are relevant for classification must be expected for the product up to its limits of water solubility. According to current knowledge adverse effects on water purification plants are not expected.

Product details:

Result/Effect	Species/Test system	Source
> 1000 mg/l (nominal) effect level > maximum achievable concentration	static (water-accommodated fraction) Fish (96 h)	literature
EC ₅₀ : > 0.0001 mg/l (measured) effect level > maximum achievable concentration	static (water-accommodated fraction) Daphnia magna (48 h)	literature
IC ₅₀ (growth rate): > 100000 mg/l (nominal)	static (water-accommodated fraction) Marine alga (skeleonema costatum) (72 h)	literature
NOEC: > 10000 mg/kg	feeding study rainbow trout (Oncorhynchus mykiss) (28 d)	literature
NOEC (mortality, growth, reproduction): > 500 mg/kg The exposure to treated sediment did not result in effects.	exposure via sediment Daphnia magna (21 d)	literature

Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Elimination by adsorption to activated sludge.

Polydimethylsiloxanes are degradable to a certain extent in abiotic processes.

Bio accumulative potential

Assessment:

Polymer component: Bioaccumulation is not expected to occur.

Mobility in soil

Assessment:

Polymer component: insoluble in water; adsorbs on soil.

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

None known



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C

Page 9 / 10

Revision Date 06.06.2018

SECTION 13:Disposal considerations

Waste treatment methods

Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully).

Containers may be recycled or re-used. Observe local/state/federal regulations.

Uncleaned packaging should be treated with the same precautions as the material.

Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the

European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14:Transport Information

UN number; UN proper shipping name; Transport hazard class (es); Packing group Road ADR Not regulated for transport Railway RID Not regulated for transport Transport by sea IMDG-Code Not regulated for transport Air transport ICAO-TI/IATA-DGR: Not regulated for transport Environmental hazards Hazardous to the environment: no. Special precautions for user Relevant information in other sections has to be considered. Transport in bulk according to Annex II of MARPOL and the IBC Code Bulk transport in tankers is not intended.

SECTION 15:Regulatory Information



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® MF2010-30000 SILICONE FLUID

Version 5.1C	Page 10 / 10	Revision Date 06.06.2018
--------------	--------------	--------------------------

European Economic Area (EEA):

REACH (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

SECTION 16:Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

