## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R	Page 1 / 12	Revision Date 20.02.2020
--------------	-------------	--------------------------

## SECTION 1: Identification of the substance/mixture and of the company

**Product Identifier** 

Product Name: SiSiB® PC1230

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

### SECTION 2: Hazardous identification

### Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1B H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Hazard pictograms (CLP)

Signal word (CLP) Danger

Hazard statements (CLP) H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) P280 - Wear protective gloves/protective clothing/eye

protection/face protection.
P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R	Page 2 / 12	Revision Date 20.02.2020

Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician

#### Other hazards

Other hazards not contributing to the classification

Additional ethanol may be formed by reaction with moisture and water. The hydrolysis product of this compound is ethanol. Overexposure to ethanol by skin absorption, inhalation or ingestion may have a narcotic effect (headache, nausea, drowsiness). Ethanol is metabolized to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS depression and death due to respiratory arrest. The US OSHA PEL (TWA) for ethanol is 1000 ppm. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages.

## **SECTION 3: Composition/information on ingredients**

### **Substances**

**Substance type** Mono-constituent **CAS-No.** 70240-34-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-(2-Aminoethyl)-3-aminopropyl	(CAS-No.) 70240-34-5	95 - 100	Skin Corr. 1B, H314
methyldiethoxysilane	(EC-No.) 274-494-3		Eye Dam. 1, H318

Full text of H-statements: see section 16

#### **Mixtures**

Not applicable

## **SECTION 4: First aid measures**

## Description of first aid measures

### First-aid measures general

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

## If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

### In case of skin contact

Wash with plenty of soap and water. Get medical advice/attention.

### In case of eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

#### If swallowed



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 3 / 12 Revision Date 20.02.2020

Never give anything by mouth to an unconscious person. Get medical advice/attention.

## Most important symptoms and effects, both acute and delayed

## Symptoms/effects

Causes severe skin burns and eye damage.

## Symptoms/injuries after inhalation

May cause irritation to the respiratory tract.

### Symptoms/injuries after skin contact

Causes (severe) skin burns.

## Symptoms/injuries after eye contact

Causes serious eye damage.

### Symptoms/injuries after ingestion

May be harmful if swallowed.

### **Chronic symptoms**

On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.

## Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form ethanol.

## **SECTION 5: Firefighting measures**

## **Extinguishing media**

### Suitable extinguishing media

Water spray. Foam. Carbon dioxide. Dry chemical.

### Unsuitable extinguishing media

Do not use straight streams.

### Special hazards arising from the substance or mixture

#### Fire hazard

Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

## Advice for firefighters

### Firefighting instructions

Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.

## **Protection during firefighting**

Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

## SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 4 / 12 Revision Date 20.02.2020

For non-emergency personnel

Protective equipment Wear protective equipment as described in Section 8.

Emergency procedures Evacuate unnecessary personnel.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment.

Equip cleanup crew with proper protection. For further information

refer to section 8: "Exposure controls/personal protection".

**Environmental precautions:** 

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and materials for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent

material to collect it. Sweep or shovel spills into appropriate

container for disposal.

Reference to other sections

See section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

Precautions for safe handling

Precautions for safe handling Avoid all eye and skin contact and do not breathe vapor and mist.

Provide good ventilation in process area to prevent formation of

vapor.

Hygiene measures Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work. Wash

contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage conditions Keep container tightly closed. Store locked up.

Incompatible materials Acids. alcohols. Moisture. Oxidizing agent. Peroxides. Water.

Storage area Store in a dark area. Store in a well-ventilated place. Store away

from heat.

Specific end use(s)

No data available

## **SECTION 8: Exposure Controls/Personal Protection**

## **Control parameters**

No additional information available



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

### **Exposure controls**

## **Appropriate engineering controls**

Provide local exhaust or general room ventilation.

## Personal protective equipment

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### Hand protection

Neoprene or nitrile rubber gloves

### Eye protection

Chemical goggles. Contact lenses should not be worn.

## Skin and body protection

Wear suitable protective clothing.

## Respiratory protection

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.

## **SECTION 9: Physical and Chemical Properties**

### Information on basic physical and chemical properties

Appearance Form: clear liquid Molecular mass 234.41 g/mol

Color straw

Odor Amine. Ammonia-like.
Odor Threshold no data available

Refractive index 1.445

pH no data available

Relative evaporation rate (butyl acetate=1) < 1

Melting point no data available

Freezing point < 0 °C

Boiling point 108 - 110 °C @ 1.5 mm Hg

Flash point: > 110 °C

Auto-ignition temperature no data available
Decomposition temperature no data available
Flammability (solid, gas) no data available
Vapor pressure: < 1 mm Hg @ 75°C

Relative vapor density at 20 °C > 1
Relative density 0.923

Solubility Reacts with water.

Log Pow no data available

Log Kow no data available



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 6 / 12 Revision Date 20.02.2020

Viscosity, kinematic no data available
Viscosity, dynamic no data available
Explosive properties no data available
Oxidizing properties no data available
Explosive limits no data available

Other information no data available

## **SECTION 10: Stability And Reactivity**

## Reactivity

no data available

## **Chemical stability**

Stable when stored in sealed containers.

## Possibility of hazardous reactions

Reacts with water and moisture in air, liberating ethanol.

#### Conditions to avoid

Heat. Open flame. Sparks

### Incompatible materials

Acids. alcohols. Moisture. Oxidizing agent. Peroxides. Water.

## **Hazardous decomposition products**

Ethanol. Organic acid vapors.

## SECTION 11:Toxicological Information

## Information on toxicological effects

Acute toxicity Not classified

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitization

Germ cell mutagenicity

Not classified

Carcinogenicity

Reproductive toxicity

STOT-single exposure

STOT-repeated exposure

Aspiration hazard

Not classified

Not classified

Not classified

Potential adverse human health effects and symptoms

This compound liberates ethanol on contact with moisture. Material generates ethanol on contact with water or moisture in skin, eyes and mucous membranes and has an irritating, dehydrating effect on



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 7 / 12 Revision Date 20.02.2020

overexposed tissue.

Symptoms/effects after inhalation May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after eye contact

Symptoms/effects after ingestion

Causes (severe) skin burns.

Causes serious eye irritation.

May be harmful if swallowed.

Chronic symptoms On contact with water this compound liberates ethanol which

is known to have a chronic effect on the central nervous

system.

Reason for classification Expert judgment

## **SECTION 12: Ecological Effects**

## **Toxicity**

Acute aquatic toxicity

Chronic aquatic toxicity

Not classified

Not classified

## Persistence and degradability

No additional information available

### Bioaccumulative potential

No additional information available

## Mobility in soil

No data available

#### Results of PBT and vPvB assessment

No additional information available

### Other adverse effects

This substance may be hazardous to the environment.

## **SECTION 13:Disposal considerations**

#### Waste treatment methods

Sewage disposal recommendations:

Do not dispose of waste into sewer.

Product/Packaging disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.

Ecology - waste materials:

Avoid release to the environment.

## **SECTION 14:Transport Information**



## **SAFETY DATA SHEET**

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 8 / 12 Revision Date 20.02.2	2020
--	------

UN number		
In accordance with ADR / RID / IMDG / IATA / ADN		
UN-No. (ADR)	2735	
UN-No. (IMDG)	2735	
UN-No. (IATA)	2735	
UN-No. (ADN)	2735	
UN-No. (RID)	2735	
UN proper shipping name		
Proper Shipping Name (ADR)	AMINES, LIQUID, CORROSIVE, N.O.S.	
Proper Shipping Name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S.	
Proper Shipping Name (IATA)	Amines, liquid, corrosive, n.o.s.	
Proper Shipping Name (ADN)	AMINES, LIQUID, CORROSIVE, N.O.S.	
Proper Shipping Name (RID)	AMINES, LIQUID, CORROSIVE, N.O.S.	
Transport document description (ADR)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.	
	(N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXY	
	SILANE), 8, II, (E)	
Transport document description (IMDG)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.	
	(N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXY	
	SILANE), 8, II	
Transport document description (IATA)	UN 2735 Amines, liquid, corrosive, n.o.s.	
	(N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXY	
	SILANE), 8, II	
Transport document description (ADN)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.	
	(N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXY	
	SILANE), 8, II	
Transport document description (RID)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.	
	(N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXY	
	SILANE), 8, II	
Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR)	8	
IMDG		
Transport hazard class(es) (IMDG)	8	
IATA	0	
Transport hazard class(es) (IATA)	8	
ADN Transport hazard class(cs) (ADN)	8	
Transport hazard class(es) (ADN)  RID	O	
Transport hazard class(es) (RID)	8	
Transport hazaru Gass(es) (KID)	U	



**Packing group** 

Version 5.1R

## SAFETY DATA SHEET

Revision Date 20.02.2020

(EC 1907/2006) SiSiB® PC1230

Packing group (ADR)	II	
Packing group (IMDG)	II	
Packing group (IATA)	II	
Packing group (ADN)	II	
Packing group (RID)	II	
Environmental hazards		
Dangerous for the environn	nent No	
Marine pollutant	No	
Other information	No supplementary information available	
Special precautions for us	ser	
Overland transport		

Classification code (ADR) C7
Special provisions (ADR) 274
Limited quantities (ADR) 11
Excepted quantities (ADR) E2

Packing instructions (ADR) P001, IBC02

Page 9 / 12

Mixed packing provisions (ADR) MP15
Portable tank and bulk container T11

instructions (ADR)

Portable tank and bulk container special TP1, TP27

provisions (ADR)

Tank code (ADR)


Vehicle for tank carriage

AT

Transport category (ADR)

2

Hazard identification number (Kemler No.) 80



Orange plates

Tunnel restriction code (ADR) E
EAC code 2X
APP code B

Transport by sea

Special provisions (IMDG) 274

Limited quantities (IMDG) 1 L

Excepted quantities (IMDG) E2

Packing instructions (IMDG) P001

IBC packing instructions (IMDG) IBC02

Tank instructions (IMDG) T11



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Tank special provisions (IMDG) TP1, TP27

EmS-No. (Fire) F-A
EmS-No. (Spillage) S-B
Stowage category (IMDG) A
Segregation (IMDG) SG35

Properties and observations (IMDG) Colorless to yellowish liquids or solutions with a pungent odor.

Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns

to skin, eyes and mucous membranes

## Air transport

PCA Excepted quantities (IATA) E2 Y840 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) 0.5L PCA packing instructions (IATA) 851 PCA max net quantity (IATA) 1L 855 CAO packing instructions (IATA) CAO max net quantity (IATA) 30L Special provisions (IATA) А3 8L ERG code (IATA)

## Inland waterway transport

Classification code (ADN)

Special provisions (ADN)

Limited quantities (ADN)

Excepted quantities (ADN)

Carriage permitted (ADN)

Equipment required (ADN)

PP, EP

Number of blue cones/lights (ADN) 0

#### Rail transport

Classification code (RID) C7
Special provisions (RID) 274
Limited quantities (RID) 1L
Excepted quantities (RID) E2

Packing instructions (RID) P001, IBC02

Mixed packing provisions (RID) MP15
Portable tank and bulk container instructions T11

(RID)

Portable tank and bulk container special TP1, TP27

provisions (RID)

Tank codes for RID tanks (RID) L4BN



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

Version 5.1R Page 11 / 12 Revision Date 20.02.2020

Transport category (RID) 2
Colis express (express parcels) (RID) CE6
Hazard identification number (RID) 80

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15:Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

No REACH Annex XVII restrictions

N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXYSILANE is not on the REACH Candidate List N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXYSILANE is not on the REACH Annex XIV List N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXYSILANE is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

N-(2-AMINOETHYL)-3-AMINOPROPYLMETHYLDIETHOXYSILANE is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

## **National regulations**

## Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

## **Netherlands**

SZW-lijst van kankerverwekkende stoffen

The substance is not listed

SZW-lijst van mutagene stoffen

The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Borstvoeding

The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling

The substance is not listed

### Denmark

Danish National Regulations: Young people below the age of 18 years are not allowed to use the product

### **Chemical safety assessment**

No chemical safety assessment has been carried out



## SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1230

V	ersion 5.1R	Page 12 / 12	Revision Date 20.02.2020
---	-------------	--------------	--------------------------

## **SECTION 16:Other Information**

### Full text of H- and EUH-statements:

Eye Dam. 1 Serious eye damage/eye irritation, Category 1

Skin Corr. 1B Skin corrosion/irritation, Category 1B

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **Further information**

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

