

Version 5.1R

Page 1 / 9

Revision Date 07.05.2018

SECTION 1: Identification of the substance/mixture and of the company**Product Identifier**

Product Name: SiSiB® PC1300
Chemical Name: N-(2-aminoethyl)-N'-(3-(trimethoxysilyl)propyl)ethylenediamine
CAS-No.: 35141-30-1
EC-No.: 252-390-9

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheet**Company**

Nanjing SiSiB Silicones Co., Ltd.
Guanghua Sci & Tech Industrial Zone,
No. 104, Guanghua Road, Nanjing 210007, P.R.China
Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification**Classification of the substance or mixture****Classification according to REGULATION (EC) No 1272/2008[EU-GHS/CLP]**

Acute toxicity, Dermal Category 4
Skin corrosion Category 1B
Skin sensitization Category 1

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Causes burns. Harmful in contact with skin. May cause sensitization by skin contact.

Label elements**Labelling according Regulation (EC) No 1272/2008 [CLP]**

Pictogram



Signal word

Danger

Hazard statement(s)

H312

Harmful in contact with skin.

H314

Causes severe skin burns and eye damage.

H317

May cause an allergic skin reaction.

Precautionary statement(s):

Version 5.1R	Page 2 / 9	Revision Date 07.05.2018
--------------	------------	--------------------------

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard Statements
none

According to European Directive 67/548/EEC as amended.



Hazard symbol(s)

R-phrase(s)

R21

Harmful in contact with skin.

R34

Causes burns.

R43

May cause sensitization by skin contact.

S-phrase(s)

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39

Wear suitable protective clothing, gloves and eye/face protection.

S45

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Other hazards

None

SECTION 3: Composition/information on ingredients

Substances

Synonyms 3-[2-(2-Aminoethylamino)ethylamino]propyltrimethoxysilane
2-[2-(3-Trimethoxysilylpropylamino)ethylamino]ethylamine

Formula C₁₀H₂₇N₃O₃Si

Molecular Weight 265.43 g/mol

Component	Concentration
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine	
CAS-No.	35141-30-1
EC-No.	252-390-9
Methanol	
CAS-No.	67-56-1
	1 - 3 %

Version 5.1R	Page 3 / 9	Revision Date 07.05.2018
--------------	------------	--------------------------

EC-No.	200-659-6	
Index-No.	603-001-00-X	
Registration number	01-2119433307-44-XXXX	
Diethylenetriamine		
CAS-No.	111-40-0	
EC-No.	203-865-4	1 - 5 %
Index-No.	612-058-00-X	

SECTION 4: First aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

May cause convulsions., Symptoms may be delayed., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., Gastrointestinal disturbance, Dizziness, Irregular breathing., Weakness, Confusion., Drowsiness, Unconsciousness, Contact with eyes can cause:, Redness, Provokes tears., Blurred vision, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), silicon oxides

Advice for firefighters

Version 5.1R	Page 4 / 9	Revision Date 07.05.2018
--------------	------------	--------------------------

Wear self-contained breathing apparatus for fire fighting if necessary.

Further information

no data available

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive. Handle and store under inert gas. Hydrolyses readily.

Specific end use(s)

no data available

SECTION 8: Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	STEL	250 ppm 333 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
	Remarks	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		TWA	200 ppm	UK. EH40 WEL -

Version 5.1R	Page 5 / 9	Revision Date 07.05.2018
--------------	------------	--------------------------

			266 mg/m ³	Workplace Exposure Limits
		Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		TWA	200 ppm 260 mg/m ³	Europe. Indicative occupational exposure limit values
		Identifies the possibility of significant uptake through the skin Indicative		
Diethylenetriamine	111-40-0	TWA	1 ppm 4.3 mg/m ³	UK. EH40 WEL - Workplace Exposure Limits
		Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SECTION 4: First aid measures**Information on basic physical and chemical properties**

Appearance	Form: liquid
Odor	no data available
Odor Threshold	no data available
pH	no data available
Melting point/freezing point	no data available
Initial boiling point and boiling range	114 - 118 °C at 3 hPa - lit.
Flash point:	125 ⁰ C
Evaporation rate	no data available
Flammability (solid, gas)	no data available
Upper/lower flammability or explosive limits	no data available
Vapor pressure:	1 hPa at 20 °C
Vapor density:	no data available
Relative density	1.03 g/cm ³ at 25 °C
Water solubility:	no data available
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Explosive properties	no data available
Oxidizing properties	no data available

Other safety information

no data available

SECTION 10: Stability And Reactivity**Reactivity**

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Other decomposition products - no data available

SECTION 11: Toxicological Information**Information on toxicological effects****Acute toxicity**

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity**Specific target organ toxicity - single exposure**

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects**Inhalation** Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.**Ingestion** Toxic if swallowed. Causes burns.**Skin** Toxic if absorbed through skin. Causes skin burns.**Eyes** Causes eye burns.**Signs and Symptoms of Exposure**

May cause convulsions., Symptoms may be delayed., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., Gastrointestinal disturbance, Dizziness, Irregular breathing., Weakness, Confusion., Drowsiness, Unconsciousness, Contact with eyes can cause:, Redness, Provokes tears., Blurred vision, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Additional Information

RTECS: Not available

Version 5.1R

Page 8 / 9

Revision Date 07.05.2018

SECTION 12: Ecological Effects**Toxicity**

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations**Waste treatment methods****Product:**

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport Information**UN number**

ADR/RID: 2735

IMDG: 2735

IATA: 2735

UN proper shipping name

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. (N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine)

IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. (N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine)

IATA: Amines, liquid, corrosive, n.o.s. (N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine)

Transport hazard class(es)

ADR/RID:

8 IMDG: 8

IATA: 8

Packing group

ADR/RID: III

IMDG: III

IATA: III

Version 5.1R	Page 9 / 9	Revision Date 07.05.2018
--------------	------------	--------------------------

Environmental hazards

ADR/RID: no

IMDG Marine Pollutant: no

IATA: no

Special precautions for user

no data available

SECTION 15:Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

Chemical Safety Assessment

no data available.

SECTION 16:Other Information**Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigmaaldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.