


# SiSiB<sup>®</sup> PC19706

*Volatile Cyclic Silicone*

*INCI: Cyclopentasiloxane*

## CHEMICAL STRUCTURE



## INTRODUCTION

SiSiB<sup>®</sup> PC19706 is cyclopentasiloxane. It is a clear, tasteless, essentially odorless, non-greasy and non-stinging liquid.

SiSiB<sup>®</sup> PC19706 has high compatibility with lots of cosmetic ingredients, with the benefits of bright, smooth, non-grease.

## ADVANTAGES

- Cyclomethicones
- Compatible with lots of cosmetic ingredients
- Colorless, odorless and nontoxic
- Non-greasy and freely dredge
- Excellent spreading and emulsification
- Volatile silicone carrier

## TYPICAL PHYSICAL PROPERTIES

INCI Name	Cyclopentasiloxane
Viscosity (25°C)	3.0~5.0cSt
Specific gravity (25°C)	0.950-0.960

# SINOPCC GROUP

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:  
Trademark of SINOPCC Group Limited or its affiliated.  
© 2018 SINOPCC Group Limited. All rights reserved.  
For further information, please see [www.SiSiB.com](http://www.SiSiB.com).

# SiSiB<sup>®</sup> PC19706

## Volatile Cyclic Silicone

*INCI: Cyclopentasiloxane*

Refractive index (25°C)	1.3850-1.4050
-------------------------	---------------

### APPLICATIONS

SiSiB<sup>®</sup> PC19706 can be used in personal care products including antiperspirants, skin, sun care, hair conditioners, color cosmetics and particle/pigment treatment, etc.

How to use:

It can be used alone or blended with other cosmetic fluids, such as mineral oils, isopropanol, nutritional oils, to obtain a stable solution. It can be used as diluents for the high viscosity silicone.

As diluents for the high viscosity silicone.

As an excellent carrier and diluents of essence.

Due to containing volatile components, it is recommended that be formulated at room temperature.

Recommend Dosage:

The recommended usage level is 0.5%-10.0%.

### PACKING AND STORAGE

SiSiB<sup>®</sup> PC19706 is supplied in 190Kg steel drum.

In the original unopened packaging, SiSiB<sup>®</sup> PC19706 has a shelf life of two years in a dry and cool place.

### NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular

**SINOPCC GROUP**

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:  
Trademark of SINOPCC Group Limited or its affiliated.  
© 2018 SINOPCC Group Limited. All rights reserved.  
For further information, please see [www.SiSiB.com](http://www.SiSiB.com).

# SiSiB<sup>®</sup> PC19706

## *Volatile Cyclic Silicone*

*INCI: Cyclopentasiloxane*

purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: [support@SiSiB.com](mailto:support@SiSiB.com).