


# SiSiB<sup>®</sup> PC19738

## Volatile Cyclic Silicone

INCI: Cyclopentasiloxane (and) Cyclohexasiloxane

### CHEMICAL STRUCTURE



### INTRODUCTION

SiSiB<sup>®</sup> PC19738 is a blend of volatile polydimethylcyclosiloxane composed of cyclohexasiloxane and cyclopentasiloxane.

### TYPICAL PHYSICAL PROPERTIES

Color and Appearance	Colorless clear liquid
Flash Point	>100°C
Boiling Point	210°C
Density 25°C	0.950-0.970
Refractive Index	1.390-1.410
Viscosity 25°C	4.0-8.0 cSt

### APPLICATIONS

SiSiB<sup>®</sup> PC19738 is a base fluid in a number of personal care products, with excellent spreading and lubrication properties and unique volatility characteristics.

SiSiB<sup>®</sup> PC19738 can be used in antiperspirants, bath oils, deodorants, skin creams, lotions, suntan and shaving products, nail polishes.

**SINOPCC GROUP**

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:  
Trademark of SINOPCC Group Limited or its affiliated.  
© 2018 SINOPCC Group Limited. All rights reserved.  
For further information, please see [www.SiSiB.com](http://www.SiSiB.com).

# SiSiB<sup>®</sup> PC19738

## Volatile Cyclic Silicone

*INCI: Cyclopentasiloxane (and) Cyclohexasiloxane*

SiSiB<sup>®</sup> PC19738 can be used as an additive to powder make-up, colognes and pre-shaves.

In sticks, SiSiB<sup>®</sup> PC19738 has the right balance between volatility and spreading.

### PACKING AND STORAGE

SiSiB<sup>®</sup> PC19738 is packaged in net weight 190Kg steel drum or net weight 950Kg IBC tote.

In the unopened original container SiSiB<sup>®</sup> PC19738 has a shelf life of one year in a dry and cool place.

### NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: [support@SiSiB.com](mailto:support@SiSiB.com).