


# SiSiB<sup>®</sup> PC19746

*Volatile Cyclic Silicone*

*INCI: Cyclohexasiloxane*

## CHEMICAL STRUCTURE



## INTRODUCTION

SiSiB<sup>®</sup> PC19746 is a kind of siloxane liquid with physiological inert and high organic solvent compatibility, which has certain volatility, has no harmful effect on the skin or hair, so it is an ideal amendment and carrier used in person-care products, such as, skin-care, sun-care, hair-care, color cosmetics, deodorant, anti-perspirant etc. In special, this product has excellent function on the skin and hair, keeps your skin and hair in excellent state.

## ADVANTAGES

- Cyclosiloxane
- Physiological inert
- Reducing the viscosity
- Compatible with lots of organic solvent
- Certain volatility
- Non-greasiness and dry-cleaning
- Excellent spreading and emulsification
- Excellent skin recuperation

## TYPICAL PHYSICAL PROPERTIES

**SINOPCC GROUP**

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:  
Trademark of SINOPCC Group Limited or its affiliated.  
© 2018 SINOPCC Group Limited. All rights reserved.  
For further information, please see [www.SiSiB.com](http://www.SiSiB.com).

# SiSiB<sup>®</sup> PC19746

## Volatile Cyclic Silicone

*INCI: Cyclohexasiloxane*

Appearance	Colorless transparent fluid
Refractive index (25°C)	1.3900-1.4050
Specific gravity (25°C)	0.950-0.970
Viscosity (cSt, 25°C)	4.0-8.0

### APPLICATIONS

SiSiB<sup>®</sup> PC19746 can be used in various person-care products, such as, skin-care, sun-care, hair-care, color cosmetics, deodorant, anti-perspirant etc.

How to use:

SiSiB<sup>®</sup> PC19746 can be used alone or blended with other cosmetic fluids, such as mineral oils, isopropanol, nutritional oils, to obtain a stable solution. It can be used as diluents for the high viscosity silicone.

Be emulsified at room temperature.

As diluents for the high viscosity silicone.

As an excellent carrier and diluents of essence.

Due to containing volatile components, it is recommended that be formulated at room temperature.

Recommend Dosage:

The recommended usage level of this product is 1-20%.

### PACKING AND STORAGE

SiSiB<sup>®</sup> PC19746 is supplied in 25Kg plastic pail or 200Kg steel drum.

In the original unopened packaging, SiSiB<sup>®</sup> PC19746 has a shelf life of two years in a dry and cool place at room temperature.

### NOTES

**SINOPCC GROUP**

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:  
Trademark of SINOPCC Group Limited or its affiliated.  
© 2018 SINOPCC Group Limited. All rights reserved.  
For further information, please see [www.SiSiB.com](http://www.SiSiB.com).

# SiSiB<sup>®</sup> PC19746

## *Volatile Cyclic Silicone*

*INCI: Cyclohexasiloxane*

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: [support@SiSiB.com](mailto:support@SiSiB.com).