

Version 5.1R	Page 1 / 11	Revision Date 28.05.2018
--------------	-------------	--------------------------

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC19816
 Chemical Name: Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified Used for formulation of personal care products. Professional use of personal care products. Uses in cosmetics/personal care products, perfumes and fragrances.

CASRN: 70131-69-0

EC-No.: 939-487-8

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.
 Guanghua Sci & Tech Industrial Zone,
 No. 104, Guanghua Road, Nanjing 210007, P.R.China
 Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

Acute toxicity - Inhalation Category 2 H330

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008



Hazard pictograms

Signal word: DANGER

Hazard statements

H330 Fatal if inhaled.

Precautionary statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 P271 Use only outdoors or in a well-ventilated area.
 P284 In case of inadequate ventilation wear respiratory protection.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Version 5.1R	Page 2 / 11	Revision Date 28.05.2018
--------------	-------------	--------------------------

P403 + P233
P501

Immediately call a POISON CENTER/doctor.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
No data available

SECTION 3: Composition/information on ingredients

Substances

This product is a substance.

CASRN EC-No.	Concentration	Component	Classification: REGULATION (EC) No. 1272/2008
CASRN 70131-69-0 EC-No. 939-487-8	100,0%	Silsesquioxanes, phenyl trimethylsilyloxyterminated	Acute Tox. - 2 - H330

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

General advice

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If inhaled

Move person to fresh air; if effects occur, consult a physician.

In case of skin contact

Wash off with plenty of water.

In case of eye contact

Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

If swallowed

No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Version 5.1R

Page 3 / 11

Revision Date 28.05.2018

Indication of any immediate medical attention and special treatment needed**Notes to physician:**

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing media**

Water spray Alcohol-resistant foam Carbon dioxide (CO₂) Dry chemical

Unsuitable extinguishing media

None known.

Special hazards arising from the substance or mixture**Hazardous combustion products:**

Silicon oxides Carbon oxides

Unusual Fire and Explosion Hazards:

Exposure to combustion products may be a hazard to health.

Advice for firefighters**Fire Fighting Procedures:**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions:

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

Version 5.1R	Page 4 / 11	Revision Date 28.05.2018
--------------	-------------	--------------------------

determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, Clean up remaining materials from spill with suitable absorbent. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

Precautions for safe handling

Do not breathe vapors or spray mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice.

Use with local exhaust ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Conditions for safe storage, including any incompatibilities

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents. Flammable liquids. Flammable solids. Pyrophoric liquids. Pyrophoric solids. Self-heating substances and mixtures. Substances and mixtures, which in contact with water, emit flammable gases. Explosives. Gases.

Specific end use(s)

no data available

SECTION 8: Exposure Controls/Personal Protection

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Derived No Effect Level

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Workers

Acute systemic effects		Acute local effects		Long-term systemic effects		Long-term local effects	
Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation
10 mg/kg bw/day	71 mg/m3	n.a.	n.a.	10 mg/kg bw/day	71 mg/m3	n.a.	n.a.

Consumers

Acute systemic effects			Acute local effects		Long-term systemic effects			Long-term local effects	
Dermal	Inhalation	Oral	Dermal	Inhalation	Dermal	Inhalation	Oral	Dermal	Inhalation

Version 5.1R	Page 5 / 11	Revision Date 28.05.2018
--------------	-------------	--------------------------

n.a.	n.a.	5 mg/kg bw/day	n.a.	n.a.	n.a.	n.a.	5 mg/kg bw/day	n.a.	n.a.
------	------	----------------	------	------	------	------	----------------	------	------

Predicted No Effect Concentration

Silsequioxanes, phenyl trimethylsilyloxy-terminated

Compartment	PNEC
Fresh water	0,0007 mg/l
Marine water	0,00007 mg/l
Fresh water sediment	0,722 mg/kg
Marine sediment	0,0722 mg/kg
Soil	0,062 mg/kg
Sewage treatment plant	100 mg/l

Exposure controls

Engineering controls

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection

Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

Skin protection

Hand protection

Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

Other protection:

No precautions other than clean body-covering clothing should be needed.

Respiratory protection:

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2.

Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

SECTION 9: Physical and Chemical Properties

Version 5.1R	Page 6 / 11	Revision Date 28.05.2018
--------------	-------------	--------------------------

Information on basic physical and chemical properties

Physical state	liquid
Color	colorless
Odor	none
Odor Threshold	no data available
pH	no data available
Melting point/range	no data available
Freezing point	no data available
Boiling point (760 mmHg)	> 250 °C
Flash point:	closed cup > 101 °C
Evaporation rate (Butyl Acetate= 1)	no data available
Flammability (solid, gas)	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapor pressure:	no data available
Relative Vapor Density (air = 1)	no data available
Relative density (water = 1)	0.98
Water solubility:	no data available
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Kinematic Viscosity	20 cSt at 25 °C
Explosive properties	Not explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.

Other information

Molecular weight	No data available
Particle size	Not applicable

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability And Reactivity

Reactivity

Not classified as a reactivity hazard.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Can react with strong oxidizing agents.

Conditions to avoid

None known.

Version 5.1R

Page 7 / 11

Revision Date 28.05.2018

Incompatible materials

Oxidizing agents

Hazardous decomposition products

Benzene.

SECTION 11: Toxicological Information**Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

LD50, Rabbit, male and female, > 2 000 mg/kg No deaths occurred at this concentration.

Acute inhalation toxicity

If material is heated or sprayed to generate aerosols or mists, concentrations may be attained that are sufficient to cause slight local inflammation of the lungs and other respiratory effects.

LC50, Rat, 4 Hour, dust/mist, 0,467 mg/l

Skin corrosion/irritation

Essentially nonirritating to skin.

Serious eye damage/eye irritation

May cause slight temporary eye irritation.

Corneal injury is unlikely.

Sensitization

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Carcinogenicity

No relevant data found.

Teratogenicity

Did not cause birth defects in laboratory animals.

Reproductive toxicity

No relevant data found.

Mutagenicity

In vitro genetic toxicity studies were negative.

Version 5.1R

Page 8 / 11

Revision Date 28.05.2018

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

COMPONENTS INFLUENCING TOXICOLOGY:**Silsesquioxanes, phenyl trimethylsilyloxy-terminated****Acute oral toxicity**

Single dose oral LD50 has not been determined.

SECTION 12: Ecological Effects**Toxicity****Silsesquioxanes, phenyl trimethylsilyloxy-terminated****Acute toxicity to fish**

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50, Danio rerio (zebra fish), 96 Hour, > 500 mg/l

Persistence and degradability**Silsesquioxanes, phenyl trimethylsilyloxy-terminated****Biodegradability:**

For similar material(s): Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

Biodegradation: 2,2 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential**Silsesquioxanes, phenyl trimethylsilyloxy-terminated**

Bioaccumulation: For the hydrolysis product(s)

Partition coefficient: n-octanol/water(log Pow): Pow: 6 - 9 estimated

Mobility in soil**Silsesquioxanes, phenyl trimethylsilyloxy-terminated**

Expected to be relatively immobile in soil (Koc > 5000).

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects**Silsesquioxanes, phenyl trimethylsilyloxy-terminated**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations**Waste treatment methods**

Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

SECTION 14: Transport Information**Classification for ROAD and Rail transport (ADR/RID):****UN number**

Not applicable

UN proper shipping name

Not regulated for transport

Transport hazard class(es)

Not applicable

Packing group

Not applicable

Environmental hazards

Not considered environmentally hazardous based on available data.

Special precautions for user

No data available

Classification for SEA transport (IMO-IMDG):**UN number**

Not applicable

UN proper shipping name

Not regulated for transport

Transport hazard class(es)

Not applicable

Packing group

Not applicable

Environmental hazards

Not considered as marine pollutant based on available data.

Special precautions for user

Version 5.1R	Page 10 / 11	Revision Date 28.05.2018
--------------	--------------	--------------------------

No data available.

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code

Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

UN number

Not applicable

UN proper shipping name

Not regulated for transport

Transport hazard class(es)

Not applicable

Packing group

Not applicable

Environmental hazards

Not applicable

Special precautions for user

No data available.

Further information:

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15:Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation (EC) No 1907/2006

Polymers are exempted from registration under REACH. All relevant starting materials and additives have been either pre-registered, registered, or are exempt from registration to Regulation (EC) No.1907/2006 (REACH).,The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: ACUTE TOXIC

Number in Regulation: H2

50 t

Version 5.1R	Page 11 / 11	Revision Date 28.05.2018
--------------	--------------	--------------------------

200 t

Installations classified for the protection of the environment (Environment Code R511-9)

4120: Acute toxicity category 2 for at least one route of exposure.

Occupational Illnesses (R-461-3, France):

(Not applicable)

Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3.

H330 Fatal if inhaled.

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.