

Version 5.1R

Page 1 / 10

Revision Date 05.11.2018

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier		
Product Name:	SiSiB® PC19826	
Chemical Name:	Silsesquioxanes, phenyl trimethylsilyloxy-terminated	
Relevant identified uses of the su	bstance or mixture and uses advised against	
Relevant applications identified Cosmetics		
Details of the supplier of the safe	ty data sheet	
Company	Nanjing SiSiB Silicones Co., Ltd.	
	Guanghua Sci & Tech Industrial Zone,	
No. 104, Guanghua Road, Nanjing 210007, P.R.Chir		
	Email: SDS@SiSiB.com	
Emergency Telephone Number:	+86-25-8468-0091	

SECTION 2: Hazardous identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Acute toxicity: Category 2 - Inhalation - H330 For the full text of the H-Statements mentioned in this Section, see Section 16. Label elements Labelling according to Regulation (EC) No 1272/2008 Pictogram



Signal word	DANGER
Hazard statement(s)	
H330	Fatal if inhaled.
	Applies to aerosolized material only.
Precautionary statement(s):	
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P271	Use only outdoors or in a well-ventilated area.
P284	In case of inadequate ventilation wear respiratory protection.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER/doctor.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.





Version 5.1R Page 2 / 10 Revision Date 05.11.2018	
---	--

P501

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No data available

SECTION 3: Composition/information on ingredients

Substances

This product is a substance.

CASRN / EC-No. /	Concentration	Component	Classification: REGULATION (EC) No 1272/2008
CASRN 70131-69-0 EC-No. 939-487-8 Index-No. –	100.0 %	Silsesquioxanes, phenyl trimethylsilyloxy-terminated	Acute Tox 2 - H330

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

General advice

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If inhaled

Move person to fresh air; if effects occur, consult a physician.

In case of skin contact

Wash off with plenty of water.

In case of eye contact

Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

If swallowed

No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.





Version 5.1R

Page 3 / 10

Revision Date 05.11.2018

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Carbon dioxide (CO2), Dry chemical

Unsuitable extinguishing media

None known

Special hazards arising from the substance or mixture

Hazardous combustion products: Silicon oxides, Carbon oxides

Unusual Fire and Explosion Hazards:

Exposure to combustion products may be a hazard to health.

Advice for firefighters

Fire Fighting Procedures: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately.

This must not be discharged into drains. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions:

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Reference to other sections



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC19826

Version 5.1R	Page 4 / 10	Revision Date 05.11.2018

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

Precautions for safe handling

Do not breathe vapors or spray mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice.

Use with local exhaust ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Conditions for safe storage, including any incompatibilities

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents. Flammable liquids. Flammable solids. Pyrophoric liquids. Pyrophoric solids. Self-heating substances and mixtures. Substances and mixtures, which in contact with water, emit flammable gases. Explosives. Gases.

Unsuitable materials for containers: None known.

Specific end use(s)

See the technical data sheet on this product for further information.

SECTION 8: Exposure Controls/Personal Protection

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Derived No Effect Level

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Workers

Acute system	mic effects	Acute local effects		Long-term systemic effects		Long-term local effects	
Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation
10 mg/kg	71mg/m ³	n.a.	n.a.	10 mg/kg	71mg/m ³	n.a.	n.a.
bw/day				bw/day			

Consumers

Acute sy	stemic effec	ts	Acute local effects		Long-term systemic effects		Long-term local effects		
Dermal	Inhalation	Oral	Dermal	Inhalation	Dermal	Inhalation	Oral	Dermal	Inhalation
10 mg/kg bw/day	71 mg/m ³	5 mg/kg bw/day	n.a.	n.a.	10 mg/kg bw/day	71 mg/m ³	5 mg/kg bw/day	n.a.	n.a.

Predicted No Effect Concentration

Silsesquioxanes, phenyl trimethylsilyloxy-terminated





Version 5.1R	Page 5 / 10	Revision Date 05.11.2018
--------------	-------------	--------------------------

Compartment	PNEC		
Fresh water	0.0007 mg/l		
Marine water	0.00007 mg/l		
Fresh water sediment	0.722 mg/kg	0.722 mg/kg	
Marine sediment	0.0722 mg/kg	0.0722 mg/kg	
Soil	0.062 mg/kg		
Sewage treatment plant	100 mg/l		

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

Skin protection

Hand protection: Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

Other protection: No precautions other than clean body-covering clothing should be needed.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, if material is heated or sprayed, use an approved air-purifying respirator.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2 (meeting standard EN 14387).

Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state	liquid
Color	colorless
Odor	none
Odor Threshold	no data available
рН	no data available
Melting point/range	no data available
Freezing point	no data available



SiSiB SILICONES - A part of PCC group.

SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC19826

Version 5.1R	Page 6 / 10		Revision Date 05.11.2018		
Boiling point (760 mmHg)		> 250 °C			
Flash point:		closed cup >101	°C		
Evaporation rate (Butyl Acetate = 1)		no data available	e		
Flammability (solid, gas)		no data available	e		
Lower explosion limit		no data available	e		
Upper explosion limit		no data available	e		
Vapor pressure:		no data available	e		
Relative Vapor Density (air	= 1)	no data available			
Relative Density (water = 1)		0.98			
Water solubility:		no data available			
Partition coefficient: n-octar	Partition coefficient: n-octanol/water		no data available		
Auto-ignition temperature		no data available			
Decomposition temperature		no data available			
Dynamic Viscosity		no data available			
Kinematic Viscosity		20 cSt at 25 °C			
Explosive properties		not explosive			
Oxidizing properties		The substance or mixture is not classified as oxidizing.			
Other information					
Molecular weight	Molecular weight		no data available		
Particle size		no data available			

specification.

SECTION 10: Stability And Reactivity

Reactivity

Not classified as a reactivity hazard. **Chemical stability** Stable under normal conditions **Possibility of hazardous reactions** Can react with strong oxidizing agents **Conditions to avoid** None known **Incompatible materials** Oxidizing agents **Hazardous decomposition products** Benzene.

SECTION 11: Toxicological Information





Version 5.1R

Page 7 / 10

Revision Date 05.11.2018

Information on toxicological effects Acute toxicity Acute oral toxicity Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. As product: Single dose oral LD50 has not been determined. Acute dermal toxicity Prolonged skin contact is unlikely to result in absorption of harmful amounts. LD50, Rabbit, male and female, > 2,000 mg/kg No deaths occurred at this concentration. Acute inhalation toxicity If material is heated or sprayed to generate aerosols or mists, concentrations may be attained that are sufficient to cause slight local inflammation of the lungs and other respiratory effects. Applies to aerosolized material only. LC50, Rat, 4 Hour, dust/mist, 0.467 mg/l Skin corrosion/irritation Essentially nonirritating to skin. Serious eye damage/eye irritation May cause slight temporary eye irritation. Corneal injury is unlikely. Sensitization Did not cause allergic skin reactions when tested in guinea pigs For respiratory sensitization: No relevant data found. Specific target organ toxicity - single exposure Evaluation of available data suggests that this material is not an STOT-SE toxicant. Specific target organ toxicity - repeated exposure Based on available data, repeated exposures are not anticipated to cause significant adverse effects. Carcinogenicity No relevant data found. Teratogenicity Did not cause birth defects in laboratory animals. Reproductive toxicity No relevant data found. Mutagenicity In vitro genetic toxicity studies were negative. Aspiration hazard Based on physical properties, not likely to be an aspiration hazard COMPONENTS INFLUENCING TOXICOLOGY: Silsesquioxanes, phenyl trimethylsilyloxy-terminated Acute oral toxicity



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC19826

Version 5.1R	Page 8 / 10	Revision Date 05.11.2018
	5	

Single dose oral LD50 has not been determined.

SECTION 12: Ecological Effects

Toxicity

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Acute toxicity to fish

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50, Danio rerio (zebra fish), 96 Hour, > 500 mg/l

Persistence and degradability

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Biodegradability: For similar material(s): Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

Biodegradation: 2.2 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Bioaccumulation: For the hydrolysis product(s)

Partition coefficient: n-octanol/water (log Pow): Pow: 6 - 9 estimated

Mobility in soil

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

Expected to be relatively immobile in soil (Koc > 5000).

Results of PBT and vPvB assessment

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Other adverse effects

Silsesquioxanes, phenyl trimethylsilyloxy-terminated

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13:Disposal considerations

Waste treatment methods

Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC19826

Version 5.1R Page 9 / 10 R	Revision Date 05.11.2018
----------------------------	--------------------------

laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

SECTION 14: Transport Information

Classification for ROAD and Rail trans	sport (ADR/RID):
UN number	Not applicable
UN proper shipping name	Not regulated for transport
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not considered environmentally hazardous based on available
	data.
Special precautions for user	No data available.
Classification for SEA transport (IMO-	IMDG):
UN number	Not applicable
UN proper shipping name	Not regulated for transport
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not considered as marine pollutant based on available data.
Special precautions for user	No data available.
Transport in bulk according to Annex I or	II of MARPOL 73/78 and the IBC or IGC Code
Consult IMO regulations before transport	ing ocean bulk
Classification for AIR transport (IATA/	ICAO):
UN number	Not applicable
UN proper shipping name	Not regulated for transport
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	No data available.
This information is not intended to conve	ey all specific regulatory or operational requirements/information

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15:Regulatory Information





Version 5.1R Page 10 / 10	Revision Date 05.11.2018
---------------------------	--------------------------

Safety, health and environmental regulations/legislation specific for the substance or mixture REACh Regulation (EC) No 1907/2006

This product contains only components that have been either pre-registered , are exempt from registration or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH)., The

aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: ACUTE TOXIC

Number in Regulation: H2

50 t

200 t

Chemical safety assessment

A Chemical Safety Assessment has not been carried out for this substance.

SECTION 16:Other Information

Full text of H-Statements referred to under sections 2 and 3.

H330

Fatal if inhaled.

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

