SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC2200B

Version 5.1C	Page 1 / 5	Revision Date 07.05.2018
--------------	------------	--------------------------

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC2200B

Chemical Name: Mixture of Bis(3-triethoxysilylpropyl)disulfide and carbon black

N330.

CAS-No.: 56706-10-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC.

SECTION 3: Composition/information on ingredients

Substance Name	CAS#	EC#	Concent%
Bis[3-(triethoxysilyl)propyl] disulfide	56706-10-6	260-350-7	50%
Carbon black	1333-86-4	215-609-9	50%

SECTION 4: First aid measures

If inhaled

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if ill effects persist.

In case of skin contact

In case of contact, immediately wash skin with soap and copious amounts of water. Get medical attention if irritation or ill effects persist.

In case of eye contact

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes. Get medical attention.

If swallowed



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC2200B

Version 5.1C	Page 2 / 5	Revision Date 07.05.2018
--------------	------------	--------------------------

If swallowed, wash out mouth with water provided person is conscious. Get medical attention.

SECTION 5: Firefighting measures

Suitable extinguishing media

Water spray. Carbon dioxide, dry chemical powder, or appropriate foam. Water can be used to cool fire exposed containers.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Specific Hazard(s)

Static electricity may accumulate and ignite suspended dust, causing an explosion. Bond and ground containers and equipment as appropriate. Also refer to standards that describe appropriate explosion prevention practices.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

Environmental precautions:

Do not let product enter drains.

Methods and material for containment and cleaning up

Remove possible ignition sources. Determine whether to evacuate or isolate the area according to your local emergency plan. Sweep, mop or wipe up and contain for salvage or disposal. Fine powders may require special vacuum filters; damp mopping or washing is preferred. Clean area as appropriate since some silicone materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: Handling and storage

Precautions for safe handling

Use with adequate ventilation. Product evolves flammable ethyl alcohol on exposure to water or humid air. Provide ventilation during use to control ethanol within exposure guidelines or use respiratory protection. Avoid eye contact. Avoid skin contact. Avoid breathing vapor, mist, dust, or fumes. Keep container closed. Do not take internally.

Storage:

Keep tightly closed. Store in a cool dry place. Store away from oxidizing materials.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC2200B

Version 5.1C	Page 3 / 5	Revision Date 07.05.2018
--------------	------------	--------------------------

SECTION 8: Exposure controls/personal protection

Engineering controls

Local ventilation and general ventilation. Ethyl alcohol is formed upon contact with water or humid air. Mechanical exhaust required. Safety shower and eye bath.

Personal protective equipment

Respiratory protection

Government approved respirator.

Hand protection

Compatible chemical-resistant gloves.

Eye protection

Chemical safety goggles.

Hygiene measures

Wash contaminated clothing before reuse. Wash thoroughly after handling.

SECTION 9: Physical and chemical properties

Appearance

Color: Black

Form: Coarse powder

Property	Value	At Temperature or Pressure
Molecular Weight	N/A	
Odor	N/A	
рН	N/A	
Melting point	N/A	
Boiling point	N/A	
Flash point	N/A	
Ignition temperature	N/A	
Refractive Index	N/A	
Lower explosion limit	N/A	
Upper explosion limit	N/A	
Vapour pressure	N/A	
SG/Density	1.31g/cm3	
Relative vapour density	N/A	
Water solubility	N/A	
N/A = not available		

SECTION 10: Stability and reactivity



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC2200B

Version 5.1C	Page 4 / 5	Revision Date 07.05.2018
--------------	------------	--------------------------

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong oxidizing agents. Water, moisture, or humid air can cause hazardous vapors to form as described in Section 8.

Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Sulfur oxides. Formaldehyde. Chlorine compounds.

Hazardous polymerization

Hazardous Polymerization: Will not occur.

SECTION 11: Toxicological information

Chronic exposure

Prolonged overexposure to Ethanol has caused human birth defects.

Signs and Symptoms of Exposure

IARC Group 2B: Carbon black may possibly cause carcinogenic to humans.

Potential Health Effects

Skin Contact: May cause skin irritation. **Eye Contact:** May cause eye irritation.

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract.

Multiple Routes: May be harmful by inhalation, ingestion or skin absorption.

SECTION 12: Ecological information

No data available

SECTION 13: Disposal considerations

Product

Observe all federal, state, and local environmental regulations.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transportation information

ADR/RID



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC2200B

Version 5.1C Page 5 / 5 Revision Date 07.05.2018

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

ISO 11014-2009 Safty data sheet for chemical products-Content and order of sections.

Regulation(EC) No 1272/2008-Classification, Labelling and Packaging of Substances ans Mixtures.

SECTION 16: Other information

Disclaimer

For industrial use only. Not for drug, household or other uses.

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

