SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R

Page 1 / 10

Revision Date 09.06.2020

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier	
Product Name:	SiSiB® PC5130
Chemical Name:	Chlorotrimethylsilane
CAS-No.:	75-77-4
Relevant identified uses of the sul	ostance or mixture and uses advised against
Relevant applications identified	For industrial use
Details of the supplier of the safet	y data sheet
Company	Nanjing SiSiB Silicones Co., Ltd.
	Guanghua Sci & Tech Industrial Zone,
	No. 104, Guanghua Road, Nanjing 210007, P.R.China
	Email: SDS@SiSiB.com
Emergency Telephone Number:	+86-25-8468-0091

SECTION 2: Hazardous identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Category 1A), H314

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]



Pictogram Signal word Hazard statement(s) H225 H301 + H331 H312 H314 H335

Danger

Highly flammable liquid and vapor.
Toxic if swallowed or if inhaled.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
May cause respiratory irritation.



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 2 / 10	Revision Date 09.06.2020

Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P233	Keep container tightly closed.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	Rinse mouth.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam
	to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
Supplemental Hazard information (E	U)
EUH014	Reacts violently with water.
Other hazards	

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Substances				
Synonyms:	TMCS			
	Trimethylchlorosilane			
	Trimethylsilyl chloride			
Formula:	C ₃ H ₉ CISi			
Molecular Weight:	108.64 g/mol			
CAS-No.:	75-77-4			
EC-No.:	200-900-5			
Component	Classification Concentration			
Chlorotrimethylsilane				
	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4; Skin Corr. 1A; STOT SE 3; H225, H301, H331, H312, H314, H335	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

General advice

Cubatanaaa

Consult a physician. Show this safety data sheet to the doctor in attendance.



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 3 / 10	Revision Date 09.06.2020

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media
Suitable extinguishing media
Dry powder, Dry sand
Unsuitable extinguishing media
Do NOT use water jet.
Special hazards arising from the substance or mixture
Carbon oxides, Hydrogen chloride gas, silicon oxides
Advice for firefighters
Wear self-contained breathing apparatus for fire fighting if necessary.
Further information

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

Environmental precautions:



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 4 / 10	Revision Date 09.06.2020
--------------	-------------	--------------------------

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush with water.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Flash back possible over considerable distance. Container explosion may occur under fire conditions. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Store under inert gas. Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Never allow product to get in contact with water during storage.

Store under inert gas.

Specific end uses

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 5 / 10	Revision Date 09.06.2020
--------------	-------------	--------------------------

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a) Appearance	Form: liquid
b) Odor	no data available
c) Odor Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	Melting point/range: -40 °C - lit.



SiSiB SILICONES - A part of SINOPCC group.

SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 6 /	10	Revision Date 09.06.2020	
f) Initial boiling point and boiling range 57 °C - lit.				
, .	ining range			
g) Flash point		-20 °C - c.c DIN 51	755 Part 1	
h) Evaporation rate		no data available		
i) Flammability (solid, gas)		no data available		
j) Upper/lower flammability		Upper explosion limit	:: 46 %(V)	
or explosive limits		Lower explosion limit	:: 1.5 %(V)	
k) Vapor pressure		no data available		
I) Vapor density		no data available		
m) Relative density		0.856 g/cm3 at 25 °C		
n) Water solubility		no data available		
 o) Partition coefficient: n-oc 	o) Partition coefficient: n-octanol/water no data available			
p) Auto-ignition temperature	e	no data available		
q) Decomposition temperate	ure	no data available		
r) Viscosity		no data available		
s) Explosive properties		no data available		
t) Oxidizing properties		no data available		
Other safety information				
no data available				

SECTION 10: Stability And Reactivity

Reactivity

Reacts violently with water.
Chemical stability
Stable under recommended storage conditions.
Possibility of hazardous reactions
Reacts violently with water.
Conditions to avoid
Heat, flames and sparks. Exposure to moisture
Incompatible materials
No data available
Hazardous decomposition products
Other decomposition products - No data available
Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, silicon oxides
In the event of fire: see section 5

SECTION 11: Toxicological Information

SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Information on toxicological effects Acute toxicity LD50 Oral - Rat - male - < 212 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm (OECD Test Guideline 403) Remarks: (calculated) LD50 Dermal - Rabbit - male and female - 1,513 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Causes burns 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Drati Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Arms test Escherichia coli/Salmonella typhimurium Result: negative Muse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative OECD Test Guideline 475 Rat - male - Bone marrow <	Version 5.1R	Page 7 / 10	Revision Date 09.06.2020		
Acute toxicity LD50 Oral - Rat - male - < 212 mg/kg	Information on toxicolog	ical effects			
LD50 Oral - Rat - male - < 212 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm (OECD Test Guideline 403) Remarks: (calculated) LD50 Dermal - Rabbit - male and female - 1,513 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Causes burns 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Arnes test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (marmal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro marmalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Cacinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	-				
(OECD Test Guideline 401)LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm(OECD Test Guideline 403)Remarks: (calculated)LD50 Dermal - Rabbit - male and female - 1,513 mg/kg(OECD Test Guideline 402)Skin corrosion/iritationSkin - RabbitResult: Causes burns 4 h(OECD Test Guideline 404)Serious eye damage/eye irritationEyes - RabbitResult: Causes burns.(Draize Test)Causes serious eye damage.Respiratory or skin sensitizationno data availableGern cell mutagenicityAmes testEscherichia coll/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeMatter in Ratione 475Rat - male - Bone marrowResult: negativeMatter in Ratione 475Rat - male - Bone marrowResult: negativeMatter inde - Bone marrowResult: negativeMatter inde - Bone marrowResult: negativeMatter inde - Bone marrowResult: negativeCationgenicityMarce - Rome on of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data available	-	212 ma/ka			
LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm (DECD Test Guideline 403) Remarks: (calculated) LD50 Dermal - Rabbit - male and female - 1,513 mg/kg (DECD Test Guideline 402) Skin corosion/irritation Skin - Rabbit Result: Causes burns 4 h (DECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Gern cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative DCD Test Guideline 475 Rat - male - Bone marrow Result: negative IAC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Secore Carcinogenicity No data available					
(OECD Test Guideline 403)Remarks: (calculated)LD50 Dermal - Rabbit - male and female - 1,513 mg/kg(OECD Test Guideline 402)Skin - RabbitResult: Causes burns 4 h(OECD Test Guideline 404)Serious eye damage/eye irritationEyes - RabbitResult: Causes burns.(Draize Test)Causes serious eye damage.Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Satmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeIn vitro mammalian cell gene mutation testMouse lymphoma testResult: negativeOECD Test Guideline 475Rat - Bone marrowResult: negativeVARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Repatition testRoy data availableServicity Rate availableResult: negativeAnd the possible or confirmed human carcinogen by IARC.Repatition regativeArea availableResult: negativeResult: negative	,	,			
Remarks: (calculated) LD50 Dermal - Rabbit - male and female - 1,513 mg/kg (DCCD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Causes burns 4 h (DECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative VacCD Test Guideline 475 Rat - male - Bone marrow Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative VacCD Test Guideline 475 Rat - male - B					
LD50 Dermal - Rabbit - male and female - 1,513 mg/kg(OECD Test Guideline 402)Skin corrosion/irritationSkin - RabbitResult: Causes burns 4 h(OECD Test Guideline 404)Serious eye damage/eye irritationEyes - RabbitResult: Causes burns.(Draize Test)Causes serious eye damage.Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeVARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Repoductive toxicityNo data availableSpecific target organ toxicity - single exposure		,			
(OECD Test Guideline 402)Skin corrosion/irritationSkin - RabbitResult: Causes burns 4 h(OECD Test Guideline 404)Serious eye damage/eye irritationEyes - RabbitResult: Causes burns.(Draize Test)Causes serious eye damage.Respiratory or skin sensitizationno data availableGern cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeOECD Test Guideline of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data availableSecurit arget organ toxicity - single exposure	· · · · ·	le and female - 1,513 mg/kg			
Skin corrosion/irritation Skin - Rabbit Result: Causes burns 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Gern cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Vaccinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Repoductive toxicity No data available Specific target organ toxicity - single exposure					
Result: Causes burns 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	· ·	,			
 (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 					
Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Result: Causes burns 4 ł	1			
Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure					
Eyes - Rabbit Result: Causes burns. (Draize Test) Causes serious eye damage. Respiratory or skin sensitization no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure		,			
Result: Causes burns.(Draize Test)Causes serious eye damage.Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeIn vitro mammalian cell gene mutation testMouse lymphoma testResult: negativeQECD Test Guideline 475Rat - male - Bone marrowResult: negativeIARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data availableSpecific target organ toxicity - single exposure					
Causes serious eye damage.Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeIn vitro mammalian cell gene mutation testMouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeIARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data availableSpecific target organ toxicity - single exposure	•				
Causes serious eye damage.Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeIn vitro mammalian cell gene mutation testMouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeIARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data availableSpecific target organ toxicity - single exposure	(Draize Test)				
Respiratory or skin sensitizationno data availableGerm cell mutagenicityAmes testEscherichia coli/Salmonella typhimuriumResult: negativeMutagenicity (mammal cell test): chromosome aberration.Mouse lymphoma testResult: negativeIn vitro mammalian cell gene mutation testMouse lymphoma testResult: negativeOECD Test Guideline 475Rat - male - Bone marrowResult: negativeIARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.Reproductive toxicityNo data availableSpecific target organ toxicity - single exposure	· · · · ·	ge.			
 no data available Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 					
Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure					
Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Germ cell mutagenicity				
 Result: negative Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 					
 Mutagenicity (mammal cell test): chromosome aberration. Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Escherichia coli/Salmonella	a typhimurium			
 Mouse lymphoma test Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Result: negative				
 Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Mutagenicity (mammal cell	test): chromosome aberration.			
 In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Mouse lymphoma test				
 Mouse lymphoma test Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Result: negative				
 Result: negative OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	In vitro mammalian cell ger	ne mutation test			
 OECD Test Guideline 475 Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure 	Mouse lymphoma test				
Rat - male - Bone marrow Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Result: negative				
Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	OECD Test Guideline 475				
Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Rat - male - Bone marrow	Rat - male - Bone marrow			
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Result: negative				
probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - single exposure	Carcinogenicity				
Reproductive toxicity No data available Specific target organ toxicity - single exposure	IARC: No component of thi	s product present at levels great	er than or equal to 0.1% is identified as		
No data available Specific target organ toxicity - single exposure	probable, possible or confi	rmed human carcinogen by IARC	2.		
Specific target organ toxicity - single exposure	Reproductive toxicity	Reproductive toxicity			
	No data available				
May cause respiratory irritation.	Specific target organ tox	icity - single exposure			
	May cause respiratory irrita	ation.			



SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1R	Page 8 / 10	Revision Date 09.06.2020
Specific target orga	an toxicity - repeated exposu	re
no data available		
Aspiration hazard		
no data available		
Additional Information	tion	
Repeated dose toxic	city - Rat - male and female - In	halation - 10 d
Subacute toxicity (E	CHA)	
RTECS: VV2710000)	
Material is extremely	destructive to tissue of the mu	ucous membranes and upper respiratory tract, eyes,
and skin, spasm, inf	ammation and edema of the la	rynx, spasm, inflammation and edema of the bronchi,
pneumonitis, pulmor	nary edema, burning sensation	, Cough, wheezing, laryngitis, Shortness of breath,
Headache, Nausea,	Vomiting, To the best of our kr	nowledge, the chemical, physical, and toxicological
properties have not	been thoroughly investigated.	
Nerves Irregularitie	es - Based on Human Evidence	9
C C		

SECTION 12: Ecological Effects

Toxicity

Toxicity to fishLC0 - Danio rerio (zebra fish) - >= 1,000 mg/l - 96 h
Remarks: (External MSDS)Toxicity to bacteriaRemarks: (External MSDS)(Chlorotrimethylsilane)Persistence and degradability
no data availableRemarks: (External MSDS)(Chlorotrimethylsilane)Bioaccumulative potential
no data availableImage: Comparison of the second of

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 13:Disposal considerations

Waste treatment methods

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.



SAFETY DATA SHEET (EC 1907/2006)

SiSiB® PC5130

Version 5.1R Page 9 / 10	Revision Date 09.06.2020
--------------------------	--------------------------

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport Information

UN number			
ADR/RID: 12	298	IMDG: 1298	IATA: 1298
UN proper s	shipping name		
ADR/RID:	TRIMETHYLCHLORO	SILANE	
IMDG:	TRIMETHYLCHLORO	SILANE	
IATA:	Trimethylchlorosilane		
Passenger A	vircraft: Not permitted for	transport	
Transport h	azard class(es)		
ADR/RID: 3(8)	IMDG: 3(8)	IATA: 3(8)
Packing gro	oup		
ADR/RID: II		IMDG: II	IATA: II
Environmer	ntal hazards		
ADR/RID: no)	IMDG Marine Pollutant: no	IATA: no
Special pree	cautions for user		
no data avai	lable		

SECTION 15:Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16:Other Information

Full text of H-Statements referred to under sections 2 and 3.

EUH014	Reacts violently with water.
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H301 + H331	Toxic if swallowed or if inhaled.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.



SiSiB SILICONES - A part of SINOPCC group.

SAFETY DATA SHEET (EC 1907/2006) SiSiB® PC5130

Version 5.1RPage 10 / 10Revision Date 09.06.2020
--

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

