SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R	Page 1 / 8	Revision Date 14.03.2019
--------------	------------	--------------------------

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC6120
Chemical Name: Triethoxy(vinyl)silane

CAS-No.: 78-08-0 EC-No.: 201-081-7

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids (Category 3), H226

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Symbol(s)

Signal word Warning

Hazard statement

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statement

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 2 / 8 Revision Date 14.03.2019

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard Statements none

Other hazards

Not a PBT, vPvB substance as per the criteria of the REACH Regulation.

SECTION 3: Composition/information on ingredients

Substances

Synonyms: (Triethoxysilyl)ethylene

Vinyltriethoxysilane

Formula: $C_8H_{18}O_3Si$ Molecular weight: 190.31 g/mol CAS-No.: 78-08-0 EC-No.: 201-081-7

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Triethoxy(vinyl)silane		
CAS-No. 78-08-0	Flam. Liq. 3; Eye Irrit. 2; STOT	<= 100 %
EC-No. 201-081-7	SE 3; H226, H319, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 3 / 8	Revision Date 14.03.2019
-------------------------	--------------------------

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 4 / 8 Revision Date 14.03.2019

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8: Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell,

test method: EN374



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R	Page 5 / 8	Revision Date 14.03.2019
--------------	------------	--------------------------

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

b) Odor

Impervious clothing., Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless
no data available
no data available

c) Odor Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available

f) Initial boiling point and boiling range 62 - 63 °C at 27 hPa - lit.

160 - 161 °C - lit.

g) Flash point 34 °C - closed cup h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability Upper explosion limit: 15 %(V) or explosive limits Lower explosion limit: 0.53 %(V)

k) Vapor pressure
3.00 hPa at 20 °C
I) Vapor density
no data available
m) Relative density
0.903 g/cm3 at 25 °C
n) Water solubility
no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature
no data available
q) Decomposition temperature
no data available



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 6 / 8 Revision Date 14.03.2019

r) Viscosity no data available s) Explosive properties no data available t) Oxidizing properties no data available

Other safety information

no data available

SECTION 10: Stability And Reactivity

Reactivity

no data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Avoid moisture.

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Strong acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, silicon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11:Toxicological Information

Information on toxicological effects

Acute oral toxicity

LD50 Dermal - Rabbit - 9,100 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 7 / 8 Revision Date 14.03.2019

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: VV6700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological Effects

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

no data available

SECTION 13:Disposal considerations

Waste treatment methods

Product:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14:Transport Information



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC6120

Version 5.1R Page 8 / 8 Revision Date 14.03.2019

UN number

ADR/RID: 1993 IMDG: 1993 IATA: 1993

UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, N.O.S. (Triethoxy(vinyl)silane)
IMDG: FLAMMABLE LIQUID, N.O.S. (Triethoxy(vinyl)silane)
IATA: Flammable liquid, n.o.s. (Triethoxy(vinyl)silane)

Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

Packing group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: no IMDG Marine Pollutant: no IATA: no

Special precautions for user

no data available

SECTION 15:Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16:Other Information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

