SAFETY DATA SHEET SISIB® PC7220

Version 5.1R Page 1 / 8 Revision Date 10.03.2020

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC7220

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

GHS classification

Skin corrosion/irritation 2

Serious eye damage/eye irritation 2A

Sensitization-skin 1

Specific target organ toxicity, repeated exposure 2

GHS Pictograms



Signal words

Warning

Hazard statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary Statement

Prevention

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the work place.

P280 Wear protective gloves/eye protection/face protection.

Precautionary Statement

Response

P302+P352 IF ON SKIN: Wash with plenty of water.



SAFETY DATA SHEET SiSiB® PC7220

Version 5.1R	Page 2 / 8	Revision Date 10.03.2020
VCISION SITI	1 ugc 2 / 0	Revision Date 10.05.2020

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see the supplemental first aid instruction).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P363 Take off immediately contaminated clothing and wash it before reuse

Precautionary Statement

Disposal

P501 Dispose of contents/container in according with local regulation.

Other hazards which do not result in classification

Not applicable

SECTION 3: Composition/information on ingredients

Mixtures

Component Information

Component	CAS number	EINECS number	Mass(%)
Dimethyl di(methyl ethyl ketoximo)Silane	37843-26-8	253-689-7	>95%wt

SECTION 4: First aid measures

NOTE TO PHYSICIAN

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

After inhalation

Move to fresh air. Oxygen or artificial respiration if needed. Get immediate medical attention.

After skin contact

Immediately flush skin with plenty of water. Remove and isolate contaminated clothing and shoes.

If irritation persists, get medical attention immediately.

For minor skin contact, avoid spreading material on unaffected skin.

Wash clothing separately before reuse.

After eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Assure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention immediately.

After ingestion

Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Loosen tight clothing such as a collar, tie, belt or waistband. Do not use mouth-to-mouth method if victim ingested the substance. Seek immediate medical attention.

Most important symptoms/effects, acute and delayed

Causes skin irritation.



SAFETY DATA SHEET SISIB® PC7220

Version 5.1R Page 3 / 8 Revision Date 10.03.2020

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

SECTION 5: Firefighting measures

Suitable extinguishing agents

Water spray, extinguishing powder, carbon dioxide, sand.

Special hazards caused by the material, its products of combustion or flue gases

Can be released in case of fire:

Carbon oxides, nitrogen oxides, silicon dioxide, irritating and toxic fumes and gases.

Protective equipment for fire-fighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

SECTION 6: Accidental release measures

Person-related safety precautions

Ensure adequate ventilation. Avoid breathing vapors, mist or gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering. Keep unnecessary personnel away.

Measures for environmental protection

Prevent further leakage or spillage if safe to do so. Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting

Contain spillage, and then collect with non-combustible absorbent material (e.g. sand, earth diatomaceous earth, vermiculite) and place in suitable container. Do NOT get water inside containers. Clean contaminated surface thoroughly.

Additional information

See Section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

Handling

Information for safe Handling

Handle in fume hood.

Avoid contact with skin, eyes, mucous membranes and clothing.

In case of insufficient ventilation, wear suitable respiratory equipment if ingested.



SAFETY DATA SHEET SiSiB® PC7220

Version 5.1R	Page 4 / 8	Revision Date 10.03.2020
--------------	------------	--------------------------

Avoid formation of aerosols.

Information about protection against explosions and fires

Keep away from heat, sources of ignition, sparks or open flame. No smoking.

Take measures to prevent the build up of electrostatic charge.

STORAGE

Requirements to be met by storerooms and containers

Keep in a cool, dry, well-ventilated place.

Keep tightly closed until used.

Information about storage in one common storage facility

Water and moisture sensitive.

Store away from incompatible substances such as water, oxidants, strong acids, peroxides, etc.

Further information about storage conditions

No data

SECTION 8: Exposure Controls/Personal Protection

Limit Values for Exposure

Component			CAS number	ACGIH	ACGIH	NIOSH	NIOSH
				TLV-TWA	TLV-STEL	REL-TWA	REL-STEL
Dimethyl	di(methyl	ethyl	37843-26-8	N.E.	N.E.	N.E.	N.E.
ketoximo)Silai	ne						

Appropriate engineering controls

Use adequate ventilation to keep airborne concentrations low.

Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower facility.

General protective and hygienic measures

Do not get this material in contact with skin. Do not get this material on clothing. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Splash goggles, gloves, apron and a respirator.

Breathing equipment

When workers are facing high concentrations they must use appropriate certified respirators.

Protection of hands

Wear appropriate chemical resistant gloves.

Eye/Face protection

Use safety glasses with side shields or safety goggles as mechanical barrier for prolonged exposure.

Body protection

Full set of anti chemical reagent overalls, flame retardant anti-static protective clothing, choose body protection according to the amount and concentration of the dangerous substance at the work place.

Note: 1. N.E. means not established



SAFETY DATA SHEET SISIB® PC7220

VCISION SITE TUGC S / O TUCVISION DUCC 10.03.2020	Version 5.1R	Page 5 / 8	Revision Date 10.03.2020
---	--------------	------------	--------------------------

SECTION 9: Physical and Chemical Properties

Physical state Transparent liquid

Color Colorless

Odor No data available

Melting point/freezing point <-22°C

Boiling point or initial boiling No data available

Point and boiling range

Flammability No data available Lower and upper explosion No data available

Limit/ flammability limit

Flash point No data available
Auto-ignition temperature No data available
Decomposition temperature No data available
pH No data available
Kinematic viscosity No data available
Solubility No data available
Partition coefficient No data available

n-octanol/water (log value)

Vapor pressure No data available

Density and/or relative density 0.94 g/cm³

Relative vapor density (air=1) No data available Particle characteristics No data available

SECTION 10: Stability And Reactivity

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts with water and moisture in air and acids liberating methyl ethyl ketoxime (MEKO)

Contact with electrophiles such as ferric chloride can lead to a violent reaction.

Conditions to avoid (e.g. static discharge, shock or vibration)

Heat and flame and spark. The extreme temperatures and direct sunlight.

Exposure to moisture and water.

Incompatible materials

Avoid contact with water, oxidants, strong acids, peroxides, etc..

Hazardous decomposition

Carbon oxides, nitrogen oxides, silicon dioxide, irritating and toxic fumes and gases.

SECTION 11:Toxicological Information



SAFETY DATA SHEET SISIB® PC7220

Version 5.1R	Page 6 / 8	Revision Date 10.03.2020
--------------	------------	--------------------------

Routes of Entry: Dermal contact, eye contact, inhalation, ingestion.

Acute Toxicity

Dimethyl di(methyl ethyl ketoximo)Silane
LD50 (Oral, rat) N/A
LC50 (Inhalation, rat) N/A
LD50 (Dermal, rabbit) N/A

Skin corrosion/irritation Cause skin irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitization

Germ cell mutagenicity

No data available for this chemical.

Carcinogenicity

No data available for this chemical.

Reproductive toxicity

No data available for this chemical.

STOT-single exposure

No data available for this chemical.

STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard No data available for this chemical.

Chronic Effects No data available for this chemical.

Further Information No data

SECTION 12: Ecological Effects

Ecotoxicity

Aquatic Toxicity

Dimethyl di(methyl ethyl ketoximo)Silane

(CAS 37843-26-8) Test & Species

 96 Hr LC50 fish
 N/A

 48 Hr EC50 Daphnia
 N/A

 72 Hr EC50 Algae
 N/A

Persistence and degradability

Bioaccumulative potential

Mobility in soil

Additional Information

Not available

No data

SECTION 13:Disposal considerations

WASTE DISPOSAL INSTRUCTIONS

Contact a licensed professional waste disposal service to dispose of this material.

Dispose of in accordance with local environmental regulations or local authority requirements



SAFETY DATA SHEET SISIB® PC7220

Version 5.1R	Page 7 / 8	Revision Date 10.03.2020
10.0.0.	1.490,70	1101101011 2010 2010012020

SECTION 14:Transport Information

The Recommendation of Transport of Dangerous Goods (TDG)

UN Number

Proper Shipping Name

Class/DivisionThe product is not regulated by TDG.Package GroupThe product is non-dangerous goods.

Subsidiary risk

labelling pictogram

Maritime transport IMDG Being same with TDG/NO Air transport ICAO-TI and IATA-DGR Being same with TDG

SECTION 15:Regulatory Information

European/International Regulation

OSHA:

Hazardous by definition of Hazard Communication Standard (29CFR 1910.1200).

EINECS Status:

This chemical is included in EINECS inventory.

EPA TSCA Status:

This chemical is included in TSCA inventory.

Canadian DSL (Domestic Substances List):

This chemical is included in DSL

HMIS (Hazardous Material Identification System Ratings):

Health: 2

Flammability: 1
Physical hazard: 1
Personal protection: J

(4.Severe Hazard; 3.Serious Hazard; 2.Moderate Hazard; 1 Slight Hazard; 0.Minimal Hazard)

WHMIS(Canadian Workplace Hazardous Material Identification System Ratings):

Not listed.

GB 12268-2012 List of dangerous goods:

This chemical is not a dangerous goods on the GB 12268-2012 list of dangerous goods.

SECTION 16:Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The



SAFETY DATA SHEET SISIB® PC7220

Version 5.1R	Page 8 / 8	Revision Date 10.03.2020
--------------	------------	--------------------------

information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

