

Version 5.1R

Page 1 / 8

Revision Date 15.03.2019

SECTION 1: Identification of the substance/mixture and of the company**Product Identifier**

Product Name: SiSiB® PC7510

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet**Company**

Nanjing SiSiB Silicones Co., Ltd.
Guanghua Sci & Tech Industrial Zone,
No. 104, Guanghua Road, Nanjing 210007, P.R.China
Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification**GHS classification**

Skin corrosion/irritation 2
Serious eye damage/eye irritation 2A
Sensitization-skin 1
Specific target organ toxicity, repeated exposure 2

**GHS Pictograms****Signal words**

Warning

Hazard statements

H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H373 May cause damage to organs through prolonged or repeated exposure

Precautionary Statement**Prevention**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the work place.
P280 Wear protective gloves/eye protection/face protection.

Precautionary Statement**Response**

P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.

Version 5.1R

Page 2 / 8

Revision Date 15.03.2019

P321 Specific treatment (see the supplemental first aid instruction).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P363 Take off immediately contaminated clothing and wash it before reuse.

Precautionary Statement**Storage**

Precautionary Statement Disposal P501 Dispose of contents/container in according with local regulation.

Other hazards which do not result in classification

Not applicable

SECTION 3: Composition/information on ingredients**Substances**

Mixtures

Component Information

Component

Methyl vinyl di(methyl ethyl ketoxime)silane

CAS number

EINECS number

Mass(%)

72721-10-9

276-784-5

>95%wt

SECTION 4: First aid measures**NOTE TO PHYSICIAN**

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

After inhalation

Move to fresh air. Oxygen or artificial respiration if needed. Get immediate medical attention.

After skin contact

Immediately flush skin with plenty of water. Remove and isolate contaminated clothing and shoes.

If irritation persists, get medical attention immediately.

For minor skin contact, avoid spreading material on unaffected skin.

Wash clothing separately before reuse.

After eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Assure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention immediately.

After ingestion

Version 5.1R

Page 3 / 8

Revision Date 15.03.2019

Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Loosen tight clothing such as a collar, tie, belt or waistband. Do not use mouth-to-mouth method if victim ingested the substance. Seek immediate medical attention.

Most important symptoms/effects, acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

SECTION 5: Firefighting measures**Suitable extinguishing agents**

Water spray, extinguishing powder, carbon dioxide, sand.

Special hazards caused by the material, its products of combustion or flue gases Protective equipment for fire-fighters

Can be released in case of fire:

Carbon oxides, nitrogen oxides, silicon dioxide, irritating and toxic fumes and gases.

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

SECTION 6: Accidental release measures**Person-related safety precautions**

Ensure adequate ventilation. Avoid breathing vapors, mist or gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

Keep unnecessary personnel away

Measures for environmental protection

Prevent further leakage or spillage if safe to do so. Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting

Contain spillage, and then collect with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in suitable container.

Additional information

Do not get water inside containers. Clean contaminated surface thoroughly.

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

Handling**Information for safe Handling**

Handle in fume hood.

Avoid contact with skin, eyes, mucous membranes and clothing.

In case of insufficient ventilation, wear suitable respiratory equipment if ingested.

Avoid formation of aerosols.

Information about protection against explosions and fires

Keep away from heat, sources of ignition, sparks or open flame. No smoking.

Take measures to prevent the build up of electrostatic charge.

STORAGE**Requirements to be met by storerooms and containers**

Keep in a cool, dry, well-ventilated place.

Keep tightly closed until used.

Information about storage in one common storage facility

Water and moisture sensitive.

Store away from incompatible substances such as water, strong oxidants, acids, metals, etc..

Further information about storage

No data conditions

SECTION 8: Exposure Controls/Personal Protection**Limit Values for Exposure**

Component

Methyl vinyl di(methyl ethyl ketoxime)silane

CAS number	ACGIH	ACGIH	NIOSH	NIOSH
	TLV-TWA	TLV-STEL	REL-TWA	REL-STEL
72721-10-9	N.E.	N.E.	N.E.	N.E.

Appropriate engineering controls

Use adequate ventilation to keep airborne concentrations low.

Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower facility.

General protective and hygienic measures

Do not get this material in contact with skin. Do not get this material on clothing.

Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal protective equipment

Splash goggles, gloves, apron and a respirator.

Breathing equipment

When workers are facing high concentrations they must use appropriate certified respirators.

Protection of hands

Wear appropriate chemical resistant gloves.

Eye/Face protection

Version 5.1R

Page 5 / 8

Revision Date 15.03.2019

Use safety glasses with side shields or safety goggles as mechanical barrier for prolonged exposure.

Body protection

Full set of anti-chemical reagent overalls, flame retardant anti-static protective clothing, choose body protection according to the amount and concentration of the dangerous substance at the work place.

Note: 1. N.E. means not established

SECTION 9: Physical and Chemical Properties**Information on basic physical and chemical properties**

Physical state	Transparent liquid
Color	Colorless
Odor	No data available
Melting point/freezing point	<-22°C
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit/ flammability limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	Reacts with water
Partition coefficient: n-octanol/water (log value)	No data available
Vapor pressure	No data available
Density and/or relative density	0.92 g/cm ³
Relative vapor density (air=1)	No data available
Particle characteristics	No data available

SECTION 10: Stability And Reactivity**Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts with water and moisture in air and acids liberating methyl ethyl ketoxime (MEKO).

Contact with electrophiles such as ferric chloride can lead to a violent reaction.

Conditions to avoid (e.g. static discharge, shock or vibration)

Heat and flame and spark. The extreme temperatures and direct sunlight. Exposure to moisture and

Version 5.1R

Page 6 / 8

Revision Date 15.03.2019

water.

Incompatible materials

Avoid contact with water, strong oxidants, acids, metals, etc..

Hazardous decomposition products

Carbon oxides, nitrogen oxides, silicon dioxide, irritating and toxic fumes and gases.

SECTION 11: Toxicological Information**Routes of Entry:**

Dermal contact, eye contact, inhalation, ingestion.

Acute Toxicity Methyl vinyl di(methyl ethyl ketoxime)silane

LD50 (Oral, rat) :N/A

LC50 (Inhalation, rat): N/A

LD50 (Dermal, rabbit): N/A

Skin corrosion/irritation

Cause skin irritation

Serious eye damage/irritation

Causes serious eye irritation

Respiratory or skin sensitization

May cause an allergic skin reaction

Germ cell mutagenicity

No data available for this chemical.

Carcinogenicity

No data available for this chemical.

Reproductive toxicity

No data available for this chemical.

STOT-single exposure

No data available for this chemical.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available for this chemical.

Chronic Effects

No data available for this chemical.

Further Information

No data

SECTION 12: Ecological Effects**Aquatic Toxicity**

Version 5.1R

Page 7 / 8

Revision Date 15.03.2019

Methyl vinyl di(methyl ethyl ketoxime)silane (CAS 72721-10-9)

Test & Species

96 Hr LC50 fish: N/A

48 Hr EC50 Daphnia: N/A

72 Hr EC50 Algae: N/A

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Not available

Additional Information

No data

SECTION 13: Disposal considerations

WASTE DISPOSAL INSTRUCTIONS

Contact a licensed professional waste disposal service to dispose of this material.

Dispose of in accordance with local environmental regulations or local authority requirements

SECTION 14: Transport Information

The Recommendation of Transport of Dangerous Goods(TDG)

UN Number

Proper Shipping Name

Class/Division

The product is not regulated by TDG.

Package Group

The product is non-dangerous goods.

Subsidiary risk

labelling pictogram

Maritime transport IMDG

Being same with TDG/No

Marine pollutant (Yes/No)

Air transport ICAO-TI and

Being same with TDG

IATA-DGR

SECTION 15: Regulatory Information

European/International Regulation

OSHA:

Hazardous by definition of Hazard Communication Standard(29CFR 1910.1200).

EINECS Status:

Version 5.1R

Page 8 / 8

Revision Date 15.03.2019

Methyl vinyl di(methyl ethyl ketoxime)silane (CAS 72721-10-9) is included in EINECS inventory.

EPA TSCA Status:

Methyl vinyl di(methyl ethyl ketoxime)silane (CAS 72721-10-9) is included in TSCA inventory.

Canadian DSL

Methyl vinyl di(methyl ethyl ketoxime)silane (CAS 72721-10-9) is included in DSL

(Domestic Substances List):**HMIS (Hazardous Material Identification System Ratings):**

Health: 2

Flammability: 1

Physical hazard: 1

Personal protection: J

(4. Severe Hazard; 3. Serious Hazard; 2. Moderate Hazard; 1 Slight Hazard; 0. Minimal Hazard)

WHMIS(Canadian Workplace Hazardous Material Identification System Ratings):

Not listed.

GB 12268-2012 List of dangerous goods

This product is not a dangerous goods on the GB12268-2012 list of dangerous goods.

SECTION 16: Other Information**Further information**

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.