


SiSiB[®] PF2110

Alkoxy Silicone Fluid

CHEMICAL NAME

Trimethoxysilyl terminated polydimethylsiloxane

CHEMICAL STRUCTURE



INTRODUCTION

SiSiB[®] PF2110 is a low viscosity trimethoxy terminated silicone fluid.

TYPICAL PHYSICAL PROPERTIES

| | |
|---------------------------|------------------------|
| CAS No. | 142982-20-5 |
| Color and Appearance | Colorless clear liquid |
| Active Ingredient | 100% |
| Viscosity _{25°C} | <10 cSt |
| pH value | 6-8 |

Remark: Other viscosity levels can be made upon request.

APPLICATIONS

SiSiB[®] PF2110 is used as anti-structuring (crepe hardening) additive for filled silicone rubbers to improve processing performance.

PACKING AND STORAGE

SiSiB[®] PF2110 fluid is supplied in 200Kg steel drum.

In the original unopened packaging, SiSiB[®] PF2110 fluid has a shelf life of 18 months in a

SiSiB[®] PF2110

Alkoxy Silicone Fluid

dry and cool place.

NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: support@SiSiB.com.